

**P-05-121**

## **Forsmark site investigation**

### **Drill hole KFM06A**

#### **Indirect tensile strength test**

Lars Jacobsson  
SP Swedish National Testing and Research Institute

August 2005

**Svensk Kärnbränslehantering AB**

Swedish Nuclear Fuel  
and Waste Management Co  
Box 5864

SE-102 40 Stockholm Sweden

Tel 08-459 84 00

+46 8 459 84 00

Fax 08-661 57 19

+46 8 661 57 19



## **Forsmark site investigation**

### **Drill hole KFM06A**

#### **Indirect tensile strength test**

Lars Jacobsson

SP Swedish National Testing and Research Institute

August 2005

*Keywords:* Rock mechanics, Indirect tensile strength, Tension test, AP PF 400-05-121.

This report concerns a study which was conducted for SKB. The conclusions and viewpoints presented in the report are those of the author and do not necessarily coincide with those of the client.

A pdf version of this document can be downloaded from [www.skb.se](http://www.skb.se)

## **Abstract**

The density and the indirect tensile strength of 5 water saturated specimens of intact rock from borehole KFM06A at Forsmark have been determined. The specimens were collected at one depth level ranging between 483–496 m borehole length. The rock type was pegmatite. The specimens were photographed before and after the mechanical test.

The measured densities for the water saturated specimens were in the range 2,620–2,640 kg/m<sup>3</sup>, which yield a mean value of 2,634 kg/m<sup>3</sup>. The values for indirect tensile strength were in the range 11.9–16.2 MPa with a mean value of 14.1 MPa.

# Sammanfattning

Densiteten och den indirekta draghållfastheten hos 5 vattenmättade prover av intakt homogent berg från borrhål KFM06A i Forsmark har bestämts. Proven har tagits från en djupnivå som ligger mellan 483–496 m borrhålslängd. Bergarten vid denna nivå var pegmatit. Provobjekten fotograferades före och efter de mekaniska proven.

Densiteten hos de vattenmättade proven var mellan 2 620–2 640 kg/m<sup>3</sup> vilket gav ett medelvärde på 2 634 kg/m<sup>3</sup>. Värdena på den indirekta draghållfastheten var 11,9–16,2 MPa med ett medelvärde på 14,1 MPa.

# Contents

<b>1</b>	<b>Introduction</b>	7
<b>2</b>	<b>Objective and scope</b>	9
<b>3</b>	<b>Equipment</b>	11
<b>4</b>	<b>Execution</b>	13
4.1	Description of the specimens	13
4.2	Testing	13
4.3	Nonconformities	14
<b>5</b>	<b>Results</b>	15
5.1	Description and presentation of the specimen	15
5.2	Results for the entire test series	18
	<b>References</b>	20

# 1 Introduction

Indirect tensile strength tests have been conducted on water-saturated specimens sampled from borehole KFM06A at Forsmark, see map in Figure 1-1. These tests belong to one of the activities performed as part of the site investigation in the Forsmark area managed by the Swedish Nuclear Fuel and Waste Management Co (SKB). The tests were carried out in the material and rock mechanics laboratories at the Department of Building Technology and Mechanics at the Swedish National Testing and Research Institute (SP). All work was performed in accordance with the activity plan AP PF 400-04-121 (SKB internal controlling document) and is controlled by SP-QD 13.1 (SP internal quality document).

SKB supplied SP with specimens cut from rock cores, which arrived at SP in February 2005 and were tested during May 2005. The specimens, in form of cylindrical discs, had been cut from the cores and selected based on the preliminary core logging with the strategy




Figure 1-1. Location of borehole KFM06A at the Forsmark site.

to primarily investigate the properties of the dominant rock type. The specimens were put into water and stored in water for 7 days prior to density determination and during 41 days before the mechanical testing. This yields a water saturation, which is intended to resemble the in-situ moisture condition. The density was determined on each specimen and the indirect tensile tests were carried out at this moisture condition. The rock material had a homogenous structure, which implies that the mechanical response is expected to be approximately isotropic. The direction of loading is displayed on the specimens by a drawn line on each specimen. The specimens were photographed before and after the mechanical testing.

Sampling and indirect tensile strength tests were performed according to method description SKB MD 190.004, version 2.0 (SKB internal controlling document), whereas water saturation and density determinations of the wet specimens were made in compliance with method description SKB MD 160.002, version. 2.0.

## 2 Objective and scope

The purpose of the testing was to determine the density and the indirect tensile strength of a cylindrical intact rock core. The specimens were collected from borehole KFM06A, which is a borehole inclined c  $60^\circ$  from the horizontal plane and with a drilling length of c 1,000 m. The borehole section c 100–1,000 m is core drilled.

The results from the tests are to be used in the site descriptive rock mechanics model, which will be established for the candidate area selected for site investigations at Forsmark.




### 3 Equipment

A circular saw with a diamond blade was used to cut the specimens to their final lengths. Specimens with a rough cutting surface were levelled in a grinding machine. The measurements of the dimensions were made with a sliding calliper. Furthermore, the tolerances were checked by means of a dial indicator and a stone face plate.

The specimens and the water were weighed using a weighing scale. A thermometer was used for the water temperature measurement. The calculated wet density was determined with an uncertainty of  $\pm 4 \text{ kg/m}^3$ .

The mechanical testing was carried out in a load frame where the crossbar is mechanically driven by screws and has a maximum load capacity of 100 kN in compression. The axial compressive load was measured by an external 100 kN load cell. The uncertainty of the load measurement is less than 1%.

The frame was equipped with a pair of curved bearing blocks, radius 39 mm and width 29 mm, with pins for guiding the vertical deformation, see Figure 3-1. The top platen includes a spherical seating in order to obtain a fully centred loading position. The specimens were photographed with a 4.0 Mega pixel digital camera at highest resolution and the photographs were stored in a jpeg-format.



**Figure 3-1.** Curved bearing blocks for indirect tensile test. The specimen in the picture does not belong to the tests in this report.

## 4 Execution

The water saturation and determination of the density of the wet specimens were made in accordance with the method description SKB MD 160.002, which includes determination of density in accordance to ISRM /1/ and water saturation by SS-EN 13755 /2/. The determination of the indirect tensile strength was carried out in compliance with the method description SKB 190.004. The test method follows ASTM D3967-95a /3/.

### 4.1 Description of the specimens

The rock type characterisation was made according to Strähle /4/ using the SKB mapping system (Boremap). The identification marks, upper and lower sampling depth (Secup and Seclow) and the rock type are shown in Table 4-1.

**Table 4-1. Specimen identification, sampling depth (borehole length) and rock type for all specimens (based on the overview mapping).**

Identification	Secup (m)	Seclow (m)	Rock type
KFM06A 110-1	483.39	483.42	Pegmatite
KFM06A 110-2	483.42	483.45	Pegmatite
KFM06A 110-3	496.26	496.29	Pegmatite
KFM06A 110-4	496.29	496.32	Pegmatite
KFM06A 110-5	496.32	496.35	Pegmatite

### 4.2 Testing

The temperature of the water was 20.1°C, which equals to a water density of 998.2 kg/m<sup>3</sup>, when the density determination of the rock specimens was carried out. Further, the specimens had been stored for 7 days in water when the density was determined and 41 days in water when the indirect tensile strength was determined.

An auto-calibration of the load frame was run prior to the mechanical test in order to check the system. Further, an individual check-list was filled in and checked for every specimen during all steps in the execution. Moreover, comments were made during the mechanical testing upon observed phenomena that are relevant for the interpretation of the results. The check-list form is an SP internal quality document.

The diameter and thickness were entered into the test software which computed the indirect tensile strength together with the mean value and standard deviation for the whole test series. The results were then exported as text-files and stored in a file server on the SP computer network. The results were imported to the program MS Excel and rearranged to the SICADA database format. Moreover, the diagrams were produced using MS Excel.

An overview of the activities during the testing is shown in the general step-by-step description in Table 4-2.

**Table 4-2. Activities during the testing.**

Step	Activity
1	The geometrical tolerances were checked: parallel and perpendicular surfaces, smooth and straight circumferential surface.
2	The diameter and thickness were measured three times each. The respective mean value determines the dimensions that are reported.
3	The direction of compressive loading was marked as a line on one of the plane surfaces with a marker pen.
4	The specimens were then put into water and stored in water for minimum 7 days. The weight of water together with one specimen was determined. The specimen was taken out from the water and the weight of the water and rock specimen was determined separately, and by using the known density of the water, the wet density could be computed. This procedure was repeated for each specimen.
5	Digital photos were taken on each specimen.
6	The wet specimens were inserted into the loading device one by one, with the correct orientation given by the marked line, and loaded up to failure during deformation control. The load frame crossbar speed was set to 0.3 mm/min, which yielded a loading rate of approximately 9.5 MPa/min. The maximum compressive load, which also defines the failure load, was registered.
7	Digital photos were taken on each specimen after the mechanical testing.

### **4.3 Nonconformities**

The testing was conducted according to the method description with one deviation. The original density measurement made before the mechanical testing was not correct, which was not discovered until after the mechanical testing. New specimens aimed for new density measurements were cut out from the tested specimens. Density measurements were carried out on the new specimens. The results from the second density measurement are those reported.

## 5 Results


The results of the individual specimens are presented in Section 5.1 and a summary of the results is given in Section 5.2. The original results, unprocessed raw data obtained from the testing, were reported to the SICADA database and are traceable by the activity plan number. These data together with the digital photographs of the individual specimens were handed over to SKB. The handling of the results follows SDP-508 (SKB internal controlling document) in general.

### 5.1 Description and presentation of the specimen


The results for the individual specimens are as follows:

**Specimen ID:** KFM06A-110-1

Before mechanical test



After mechanical test




<b>Diameter (mm)</b>	<b>Height (mm)</b>	<b>Density (kg/m<sup>3</sup>)</b>	<b>Tensile strength (MPa)</b>
50.4	24.1	2,640	15.3


**Comments:** None

**Specimen ID:** KFM06A-110-2

Before mechanical test



After mechanical test




<b>Diameter (mm)</b>	<b>Height (mm)</b>	<b>Density (kg/m<sup>3</sup>)</b>
50.4	21.3	2,640

<b>Tensile strength (MPa)</b>
16.2


**Comments:** None

**Specimen ID:** KFM06A-110-3

Before mechanical test



After mechanical test




<b>Diameter (mm)</b>	<b>Height (mm)</b>	<b>Density (kg/m<sup>3</sup>)</b>
50.7	28.0	2,630

<b>Tensile strength (MPa)</b>
12.9


**Comments:** None

**Specimen ID:** KFM06A-110-4

Before mechanical test



After mechanical test




<b>Diameter (mm)</b>	<b>Height (mm)</b>	<b>Density (kg/m<sup>3</sup>)</b>
50.7	27.0	2,620

<b>Tensile strength (MPa)</b>
14.2


**Comments:** None

**Specimen ID:** KFM06A-110-5

Before mechanical test



After mechanical test



<b>Diameter (mm)</b>	<b>Height (mm)</b>	<b>Density (kg/m<sup>3</sup>)</b>
50.9	26.3	2,640

<b>Tensile strength (MPa)</b>
11.9

**Comments:** None

## 5.2 Results for the entire test series


A summary of the test results is presented in Tables 5-1 and 5-2. The densities and tensile strength versus sampling depth are shown in Figures 5-1 and 5-2.

**Table 5-1. Summary of results.**


Identification	Density (kg/m <sup>3</sup> )	Tensile strength (MPa)	Comments
KFM06A 110-1	2,640	15.3	
KFM06A 110-2	2,640	16.2	
KFM06A 110-3	2,630	12.9	
KFM06A 110-4	2,620	14.2	
KFM06A 110-5	2,640	11.9	

**Table 5-2. Calculated mean values (Mean val) and standard deviation (Std dev) of wet density and tensile strength at the different sampling levels and for all specimens.**

	Density (kg/m <sup>3</sup> )	Tensile strength (MPa)
Mean val	2,634	14.1
Std dev	8.9	1.7



*Figure 5-1. Density versus sampling depth in the borehole. The sampling depths for the tree data points at 490 m are approximate values.*



**Figure 5-2.** Tensile strength versus sampling depth in the borehole. The sampling depths for the tree data points at 490 m are approximate values.



## References

- /1/ **ISRM, 1979.** Suggested Method for Determining Water Content, Porosity, Density, Absorption and Related Properties and Swelling and Slake-durability Index Properties. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr*, 16(2), pp 141–156.
- /2/ **SS-EN 13755.** Natural stone test methods – Determination of water absorption at atmospheric pressure.
- /3/ **ASTM D3967-95a, 1996.** Standard test method for splitting tensile strength of intact rock core specimens.
- /4/ **Stråhle A, 2001.** Definition och beskrivning av parametrar för geologisk, geofysisk och bergmekanisk kartering av berg. SKB R-01-19, Svensk Kärnbränslehantering AB. In Swedish.