Appendix 7 – KLX09G

In this appendix plots showing Flow log anomalies to core mapped features in KLX09G for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.


KLX09G
Boremap
PFL
Confidence level
1
2
3
Crushzone
Rocktype
Fine-grained granite <1m
Transmissivity
10^{-10}
10^{-9}
10^{-8}
10^{-7}
10^{-6}
10^{-5}
10^{-4}
Rock domain
Deformation zones
Borehole length (m)
0
20
40
60
80
100
Flow indication open fractures
Class 1
Class 2
Class 3
Class 4
Open fracture, no flow indication
Confidence level Open fractures
1 certain
2 probable
3 possible
Dolerite
Fine-grained dioritoid
Diorite / Gabbro
Quartz monzodiorite
Ävrö granite
Granite
Pegmatite
Fine-grained diorite/gabbro
Fine-grained granite
PFL-anomaly Transmissivity
Certain
Uncertain
Meas lim
Deformation zones
Zone
Rock domains
RSMA01
RSMD01
RSMM01


KLX09G
Boremap
PFL
Confidence level
1
2
3
Crushzone
Rocktype
Fine-grained granite <1m
Transmissivity
10-10
10-9
10-8
10-7
10-6
10-5
10-4
Rock domain
Deformation zones
Borehole length (m)
0
5
10
15
20
25
Flow indication open fractures
Class 1
Class 2
Class 3
Class 4
Open fracture, no flow indication
Confidence level Open fractures
1 certain
2 probable
3 possible
Dolerite
Fine-grained dioritoid
Diorite / Gabbro
Quartz monzodiorite
Ävrö granite
Granite
Pegmatite
Fine-grained diorite/gabbro
Fine-grained granite
PFL-anomaly Transmissivity
Certain
Uncertain
Meas lim
Deformation zones
Zone
Rock domains
RSMA01
RSMD01
RSMM01


KLX09G
Boremap
PFL
Confidence level
1
2
3
Crushzone
Rocktype
Fine-grained granite <1m
Transmissivity
10^{-10}
10^{-9}
10^{-8}
10^{-7}
10^{-6}
10^{-5}
10^{-4}
Rock domain
Deformation zones
Borehole length (m)
25
30
35
40
45
50
Flow indication open fractures
Class 1
Class 2
Class 3
Class 4
Open fracture, no flow indication
Confidence level Open fractures
1 certain
2 probable
3 possible
Dolerite
Fine-grained dioritoid
Diorite / Gabbro
Quartz monzodiorite
Ävrö granite
Granite
Pegmatite
Fine-grained diorite/gabbro
Fine-grained granite
PFL-anomaly Transmissivity
Certain
Uncertain
Meas lim
Deformation zones
Zone
Rock domains
RSMA01
RSMD01
RSMM01


KLX09G
Boremap
PFL
Confidence level
1
2
3
Crushzone
Rocktype
Fine-grained granite <1m
Transmissivity
10^{-10}
10^{-9}
10^{-8}
10^{-7}
10^{-6}
10^{-5}
10^{-4}
Rock domain
Deformation zones
Borehole length (m)
50
55
60
65
70
75
Flow indication open fractures
Class 1
Class 2
Class 3
Class 4
Open fracture, no flow indication
Confidence level
Open fractures
1 certain
2 probable
3 possible
Dolerite
Fine-grained dioritoid
Diorite / Gabbro
Quartz monzodiorite
Ävrö granite
Granite
Pegmatite
Fine-grained diorite/gabbro
Fine-grained granite
PFL-anomaly
Transmissivity
Certain
Uncertain
Meas lim
Deformation zones
Zone
Rock domains
RSMA01
RSMD01
RSMM01


KLX09G
Boremap
PFL
Confidence level
1
2
3
Crushzone
Rocktype
Fine-grained granite <1m
Transmissivity
10^{-10}
10^{-9}
10^{-8}
10^{-7}
10^{-6}
10^{-5}
10^{-4}
Rock domain
Deformation zones
Borehole length (m)
75
80
85
90
95
100
Flow indication open fractures
Class 1
Class 2
Class 3
Class 4
Open fracture, no flow indication
Confidence level
Open fractures
1 certain
2 probable
3 possible
Dolerite
Fine-grained dioritoid
Diorite / Gabbro
Quartz monzodiorite
Ävrö granite
Granite
Pegmatite
Fine-grained diorite/gabbro
Fine-grained granite
PFL-anomaly
Transmissivity
Certain
Uncertain
Meas lim
Deformation zones
Zone
Rock domains
RSMA01
RSMD01
RSMM01

Table A7-1. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 22.3 T (m^2/s) = 3.20E-7 PFL confidence= Certain	Adjusted secup (m) = 22.1650 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 **Best choice**	
1b		Adjusted secup (m) = 22.1970 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
1c		Adjusted secup (m) = 22.2700 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
1d		Adjusted secup (m) = 22.2930 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
1e		Adjusted secup (m) = 22.5170 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A7-2. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
2a	Bh-length (m) = 25.2 T (m^2/s) = 2.37E-9 PFL confidence= Uncertain	Adjusted secup (m) = 25.1100 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	
2b		Adjusted secup (m) = 25.1460 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-3. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 28.1 T (m^2/s) = 1.56E-8 PFL confidence= Certain	Adjusted secup (m) = 27.9290 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
3b		Adjusted secup (m) = 28.1820 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 **Best choice**	
3c		Adjusted secup (m) = 27.9290 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
4	Bh-length (m) = 29.8 T (m^2/s) = 1.75E-9 PFL confidence= Uncertain	Adjusted secup (m) = 29.7110 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	

Table A7-4. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	Bh-length (m) = 32.3 T (m^2/s) = 1.50E-9 PFL confidence= Uncertain	Adjusted secup (m) = 32.2700 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	
5b		Adjusted secup (m) = 32.3050 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
6a	Bh-length (m) = 35.3 T (m^2/s) = 2.38E-7 PFL confidence= Certain	Adjusted secup (m) = 35.2130 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
6b		Adjusted secup (m) = 35.2460 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-5. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 36 T (m^2/s) = 1.10E-7 PFL confidence= Certain	Adjusted secup (m) = 35.8200 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
7b		Adjusted secup (m) = 35.9670 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
8	Bh-length (m) = 36.4 T (m^2/s) = 6.11E-8 PFL confidence= Certain	Adjusted secup (m) = 36.2680 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-6. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 38.4 T (m^2/s) = 3.21E-9 PFL confidence= Uncertain	Adjusted secup (m) = 38.3480 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	
9b		Adjusted secup (m) = 38.4610 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
10a	Bh-length (m) = 38.8 T (m^2/s) = 3.63E-9 PFL confidence= Uncertain	Adjusted secup (m) = 38.7030 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	
10b		Adjusted secup (m) = 38.8350 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-7. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 40.2 T (m^2/s) = 2.66E-8 PFL confidence= Certain	Adjusted secup (m) = 40.0180 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
11b		Adjusted secup (m) = 40.1650 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
11c		Adjusted secup (m) = 40.3580 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
11d		Adjusted secup (m) = 40.3780 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	

Table A7-8. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	Bh-length (m) = 41.5 T (m^2/s) = 2.77E-7 PFL confidence= Certain	Adjusted secup (m) = 41.2910 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 **Best choice**	
12b		Adjusted secup (m) = 41.3410 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
12c		Adjusted secup (m) = 41.3440 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
12d		Adjusted secup (m) = 41.3870 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
12e		Adjusted secup (m) = 41.4110 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-9. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12f		Adjusted secup (m) = 41.5200 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 No data from BDT file	
12g		Adjusted secup (m) = 41.5330 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
13a	Bh-length (m) = 41.7 T (m^2/s) = 6.33E-7 PFL confidence= Certain	Adjusted secup (m) = 41.5200 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 No data from BDT file **Best choice**	
13b		Adjusted secup (m) = 41.5330 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
13c		Adjusted secup (m) = 41.8110 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-10. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
14a	Bh-length (m) = 43.1 T (m^2/s) = 7.45E-9 PFL confidence= Uncertain	Adjusted secup (m) = 43.0550 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
14b		Adjusted secup (m) = 43.2370 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
14c		Adjusted secup (m) = 43.3340 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A7-11. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	Bh-length (m) = 43.5 T (m^2/s) = 9.77E-6 PFL confidence= Certain	Adjusted secup (m) = 43.2370 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
15b		Adjusted secup (m) = 43.3340 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 **Best choice**	
15c		Adjusted secup (m) = 43.5160 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15d		Adjusted secup (m) = 43.5300 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15e		Adjusted secup (m) = 43.5910 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-12. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15f		Adjusted secup (m) = 43.6300 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15g		Adjusted secup (m) = 43.6510 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15h		Adjusted secup (m) = 43.6770 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-13. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16a	Bh-length (m) = 45.8 T (m^2/s) = 7.47E-9 PFL confidence= Certain	Adjusted secup (m) = 45.7890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
16b		Adjusted secup (m) = 45.9720 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A7-14. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17a	Bh-length (m) = 46.1 T (m^2/s) = 2.15E-9 PFL confidence= Uncertain	Adjusted secup (m) = 45.7890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
17b		Adjusted secup (m) = 45.9720 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 **Best choice**	
17c		Adjusted secup (m) = 46.0760 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-15. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18a	Bh-length (m) = 48.5 T (m^2/s) = 3.49E-7 PFL confidence= Certain	Adjusted secup (m) = 48.1790 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
18b		Adjusted secup (m) = 48.2520 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 **Best choice**	
18c		Adjusted secup (m) = 48.2820 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
18d		Adjusted secup (m) = 48.2950 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
18e		Adjusted secup (m) = 48.3080 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-16. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18f		Adjusted secup (m) = 48.6410 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
19	Bh-length (m) = 49.9 T (m^2/s) = 1.26E-7 PFL confidence= Uncertain	Adjusted secup (m) = 49.7280 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	

Table A7-17. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
20a	Bh-length (m) = 50.3 T (m^2/s) = 2.34E-7 PFL confidence= Certain	Adjusted secup (m) = 50.2420 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
20b		Adjusted secup (m) = 50.3400 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
20c		Adjusted secup (m) = 50.4660 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-18. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21a	Bh-length (m) = 51.8 T (m^2/s) = 1.16E-7 PFL confidence= Uncertain	Adjusted secup (m) = 51.7490 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
21b		Adjusted secup (m) = 51.7790 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
21c		Adjusted secup (m) = 51.9090 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
21d		Adjusted secup (m) = 51.9100 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-19. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
22	Bh-length (m) = 52.9 T (m^2/s) = 9.18E-7 PFL confidence= Certain	Adjusted secup (m) = 51.7490 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	

Table A7-20. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23a	Bh-length (m) = 53.5 T (m^2/s) = 1.40E-8 PFL confidence= Certain	Adjusted secup (m) = 53.2870 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
23b		Adjusted secup (m) = 53.3440 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 **Best choice**	
23c		Adjusted secup (m) = 53.4350 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
23d		Adjusted secup (m) = 53.5970 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
23e		Adjusted secup (m) = 53.6610 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A7-21. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23f		Adjusted secup (m) = 53.6870 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A7-22. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 53.9 T (m^2/s) = 3.56E-9 PFL confidence= Certain	Adjusted secup (m) = 53.7620 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
24b		Adjusted secup (m) = 53.8400 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
24c		Adjusted secup (m) = 54.0300 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
24d		Adjusted secup (m) = 54.1550 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
24e		Adjusted secup (m) = 54.1600 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-23. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
25a	Bh-length (m) = 56 T (m^2/s) = 2.74E-8 PFL confidence= Certain	Adjusted secup (m) = 55.8920 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
25b		Adjusted secup (m) = 55.9050 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
25c		Adjusted secup (m) = 55.9190 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
25d		Adjusted secup (m) = 56.0290 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
25e		Adjusted secup (m) = 56.1890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-24. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 56.5 T (m^2/s) = 2.89E-8 PFL confidence= Certain	Adjusted secup (m) = 56.3720 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
26b		Adjusted secup (m) = 56.4250 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
26c		Adjusted secup (m) = 56.5290 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
26d		Adjusted secup (m) = 56.7890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A7-25. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 56.9 T (m^2/s) = 3.40E-9 PFL confidence= Uncertain	Adjusted secup (m) = 56.7890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
27b		Adjusted secup (m) = 56.8590 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
27c		Adjusted secup (m) = 56.9400 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
27d		Adjusted secup (m) = 56.9890 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-26. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28	Bh-length (m) = 59 T (m^2/s) = 3.75E-8 PFL confidence= Certain	Adjusted secup (m) = 58.9520 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	

Table A7-27. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
29a	Bh-length (m) = 59.7 T (m^2/s) = 2.28E-8 PFL confidence= Uncertain	Adjusted secup (m) = 59.4440 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 3 **Best choice**	
29b		Adjusted secup (m) = 59.4580 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3	
29c		Adjusted secup (m) = 59.5130 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
29d		Adjusted secup (m) = 59.5410 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
29e		Adjusted secup (m) = 59.5850 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-28. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30a	Bh-length (m) = 61.1 T (m^2/s) = 9.77E-7 PFL confidence= Certain	Adjusted secup (m) = 60.8570 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
30b		Adjusted secup (m) = 60.8880 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
30c		Adjusted secup (m) = 61.0650 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
30d		Adjusted secup (m) = 61.0830 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
30e		Adjusted secup (m) = 61.1640 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-29. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30f		Adjusted secup (m) = 61.2950 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
30g		Adjusted secup (m) = 61.2980 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
30h		Adjusted secup (m) = 61.3280 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 **Best choice**	

Table A7-30. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31a	Bh-length (m) = 61.7 T (m^2/s) = 4.06E-8 PFL confidence= Certain	Adjusted secup (m) = 61.4980 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 **Best choice**	
31b		Adjusted secup (m) = 61.5540 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
31c		Adjusted secup (m) = 61.6260 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
31d		Adjusted secup (m) = 61.7690 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
31e		Adjusted secup (m) = 61.8070 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-31. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 62.2 T (m^2/s) = 1.74E-8 PFL confidence= Uncertain	Adjusted secup (m) = 62.0260 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
32b		Adjusted secup (m) = 62.2450 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
32c		Adjusted secup (m) = 62.3200 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
32d		Adjusted secup (m) = 62.3660 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A7-32. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	Bh-length (m) = 63.6 T (m^2/s) = 3.77E-8 PFL confidence= Certain	Adjusted secup (m) = 63.3650 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 **Best choice**	
33b		Adjusted secup (m) = 63.3740 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
33c		Adjusted secup (m) = 63.6190 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A7-33. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 65.3 T (m^2/s) = 1.70E-9 PFL confidence= Uncertain	Adjusted secup (m) = 65.2810 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	
34b		Adjusted secup (m) = 65.5370 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
35a	Bh-length (m) = 65.5 T (m^2/s) = 1.03E-8 PFL confidence= Certain	Adjusted secup (m) = 65.2810 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
35b		Adjusted secup (m) = 65.5370 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 **Best choice**	

Table A7-34. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	Bh-length (m) = 66.1 T (m^2/s) = 1.39E-8 PFL confidence= Uncertain	Adjusted secup (m) = 65.7890 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 4 **Best choice**	
36b		Adjusted secup (m) = 66.4670 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 4	
36c		Adjusted secup (m) = 66.5180 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 4	

Table A7-35. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37a	Bh-length (m) = 66.9 T (m^2/s) = 5.12E-9 PFL confidence= Certain	Adjusted secup (m) = 66.6730 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
37b		Adjusted secup (m) = 66.6900 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
37c		Adjusted secup (m) = 66.7800 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
37d		Adjusted secup (m) = 66.9030 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 **Best choice**	
37e		Adjusted secup (m) = 66.9890 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A7-36. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38	Bh-length (m) = 71.7 T (m^2/s) = 8.85E-9 PFL confidence= Certain	Adjusted secup (m) = 71.4070 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 3	
39	Bh-length (m) = 81.6 T (m^2/s) = 1.80E-8 PFL confidence= Certain	Adjusted secup (m) = 81.2690 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 4	

Table A7-37. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
40	Bh-length (m) = 82.1 T (m^2/s) = 3.40E-9 PFL confidence= Certain	Adjusted secup (m) = 82.9560 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 9	
41a	Bh-length (m) = 84.5 T (m^2/s) = 1.45E-8 PFL confidence= Certain	Adjusted secup (m) = 84.1290 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 4 **Best choice**	
41b		Adjusted secup (m) = 84.8430 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 3	

Table A7-38. KLX09G. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 92.5 T (m^2/s) = 4.65E-8 PFL confidence= Certain	Adjusted secup (m) = 92.3060 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 **Best choice**	
42b		Adjusted secup (m) = 92.5430 Fract_interpret / Varcode= partly open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	