





Appendix 1 – KLX12A


In this appendix plots showing Flow log anomalies to core mapped features in KLX12A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.






























































Table A1-1. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1a	Bh-length (m) = 99.1 T (m ² /s) = 4.20E-10 PFL confidence = Uncertain	No Data	
2a	Bh-length (m) = 100.3 T (m ² /s) = 1.66E-8 PFL confidence= Certain	No Data	

Table A1-2. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 103.1 T (m ² /s) = 2.60E-8 PFL confidence= Certain	Adjusted secup (m) = 102.953 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
3b		Adjusted secup (m) = 103.287 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
3c		Adjusted secup (m) = 103.361 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-3. KLX12A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
4a	Bh-length (m) = 104.4 T (m ² /s) = 1.31E-7 PFL confidence = Certain	Adjusted secup (m) = 104.275 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
4b		Adjusted secup (m) = 104.551 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-4. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5a	Bh-length (m) = 105.2 T (m ² /s) = 1.60E-7 PFL confidence = Certain	Adjusted secup (m) = 105.030 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image displays a vertical borehole profile with depth markers ranging from 104.832 to 105.632 on the left and 068.43 to 259.78 on the right. A red arrow points to a depth of approximately 105.244. A red circle highlights a value of 290.74 on the right side of the image.</p>
5b		Adjusted secup (m) = 105.145 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
5c		Adjusted secup (m) = 105.180 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
5d		Adjusted secup (m) = 105.199 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
5e		Adjusted secup (m) = 105.244 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-5. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
6a	<p>Bh-length (m) = 105.5</p> <p>T (m²/s) = 2.10E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 105.199</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
7a	<p>Bh-length (m) = 107.6</p> <p>T (m²/s) = 2.10E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 107.650</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
7b		<p>Adjusted secup (m) = 107.747</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A1-6. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
8a	Bh-length (m) = 109.3 T (m ² /s) = 1.57E-8 PFL confidence = Certain	Adjusted secup (m) = 109.519 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
9a	Bh-length (m) = 109.7 T (m ² /s) = 3.51E-9 PFL confidence= Uncertain	Adjusted secup (m) = 110.012 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 3 Best choice	

Table A1-7. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
10a	<p>Bh-length (m) = 111.3</p> <p>T (m²/s) = 1.36E-7</p> <p>PFL confidence= Certain</p>	<p>Adjusted secup (m) = 111.209</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 10a is a vertical cross-section of a geological formation. The vertical axis on the left is labeled with elevations from 110.941 to 111.922 in increments of 0.020. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', 'D'. A red arrow points to a fracture feature near the top of the section. A red circle highlights the label '154 05' on the right side of the image.</p>
11a	<p>Bh-length (m) = 111.6</p> <p>T (m²/s) = 2.98E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 111.509</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 11a is a vertical cross-section of a geological formation. The vertical axis on the left is labeled with elevations from 111.102 to 111.994 in increments of 0.020. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', 'D'. A red arrow points to a fracture feature near the bottom of the section. A red circle highlights the label '096 21' on the right side of the image.</p>

Table A1-8. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	Bh-length (m) = 113.8 T (m ² /s) = 2.93E-8 PFL confidence = Certain	Adjusted secup (m) = 113.707 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
12b		Adjusted secup (m) = 113.821 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
12c		Adjusted secup (m) = 113.864 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A1-9. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
13a	<p>Bh-length (m) = 114.3</p> <p>T (m²/s) = 2.26E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 114.237</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 13a shows a vertical borehole log with depth markers on the left (113.829 to 114.710) and right (242.53 to 343.72). A red arrow points to a fracture zone at approximately 114.237 m depth. A value of 200.07 is circled in red on the right side of the log.</p>
14a	<p>Bh-length (m) = 115.6</p> <p>T (m²/s) = 2.51E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 115.555</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	<p>The BIPS image for PFL 14a shows a vertical borehole log with depth markers on the left (115.222 to 116.114) and right (242.53 to 343.72). A red arrow points to a fracture zone at approximately 115.555 m depth. A value of 129.04 is circled in red on the right side of the log.</p>
14b		<p>Adjusted secup (m) = 115.648</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 14b shows a vertical borehole log with depth markers on the left (115.222 to 116.114) and right (242.53 to 343.72). A red arrow points to a fracture zone at approximately 115.648 m depth. A value of 395.82 is circled in red on the right side of the log.</p>

Table A1-10. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	Bh-length (m) = 118.2 T (m ² /s) = 8.92E-9 PFL confidence = Uncertain	Adjusted secup (m) = 118.190 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
15b		Adjusted secup (m) = 118.291 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
15c		Adjusted secup (m) = 118.309 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-11. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16a	Bh-length (m) = 118.7 T (m ² /s) = 3.09E-8 PFL confidence = Certain	Adjusted secup (m) = 118.641 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
16b		Adjusted secup (m) = 118.692 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
17a	Bh-length (m) = 120.7 T (m ² /s) = 5.69E-8 PFL confidence = Certain	Adjusted secup (m) = 120.597 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
17b		Adjusted secup (m) = 120.859 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-12. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
18a	<p>Bh-length (m) = 121.3</p> <p>T (m²/s) = 5.39E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 121.251</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
19a	<p>Bh-length (m) = 121.9</p> <p>T (m²/s) = 1.43E-9</p> <p>PFL confidence= Uncertain</p>	<p>Adjusted secup (m) = 121.837</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p>	
19b		<p>Adjusted secup (m) = 121.924</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A1-13. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
20a	Bh-length (m) = 123.2 T (m ² /s) = 4.69E-9 PFL confidence = Certain	Adjusted secup (m) = 122.960 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Possible PFL-anom. confidence = 2	
20b		Adjusted secup (m) = 123.191 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice	
21a	Bh-length (m) = 123.8 T (m ² /s) = 3.09E-8 PFL confidence = Certain	Adjusted secup (m) = 123.826 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice	

Table A1-14. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
22a	Bh-length (m) = 125.8 T (m ² /s) = 3.92E-9 PFL confidence = Uncertain	Adjusted secup (m) = 125.805 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
22b		Adjusted secup (m) = 125.902 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
23a	Bh-length (m) = 126.4 T (m ² /s) = 3.69E-9 PFL confidence = Uncertain	Adjusted secup (m) = 126.353 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-15. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 128.3 T (m ² /s) = 4.32E-9 PFL confidence = Uncertain	Adjusted secup (m) = 128.268 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
24b		Adjusted secup (m) = 128.481 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
25a	Bh-length (m) = 128.8 T (m ² /s) = 4.66E-9 PFL confidence = Certain	Adjusted secup (m) = 128.790 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-16. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	<p>Bh-length (m) = 130.3</p> <p>T (m²/s) = 9.46E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 130.379</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
27a	<p>Bh-length (m) = 131.3</p> <p>T (m²/s) = 2.19E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 131.358</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
27b		<p>Adjusted secup (m) = 131.465</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 2</p>	

Table A1-17. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 132.6 T (m ² /s) = 2.83E-8 PFL confidence = Certain	Adjusted secup (m) = 132.634 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
29a	Bh-length (m) = 135.3 T (m ² /s) = 6.13E-9 PFL confidence = Certain	Adjusted secup (m) = 135.273 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A1-18. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
30a	Bh-length (m) = 136.4 T (m ² /s) = 1.12E-8 PFL confidence = Certain	Adjusted secup (m) = 136.375 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-19. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31a	Bh-length (m) = 137.2 T (m ² /s) = 4.86E-8 PFL confidence = Certain	Adjusted secup (m) = 137.030 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
31b		Adjusted secup (m) = 137.134 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
31c		Adjusted secup (m) = 137.283 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
31d		Adjusted secup (m) = 137.300 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-20. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
32a	Bh-length (m) = 139.5 T (m ² /s) = 5.76E-6 PFL confidence = Certain	Adjusted secup (m) = 139.286 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
32b		Adjusted secup (m) = 139.429 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
32c		Adjusted secup (m) = 139.587 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
32d		Adjusted secup (m) = 139.699 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A1-21. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	Bh-length (m) = 139.9 T (m ² /s) = 3.03E-8 PFL confidence = Uncertain	Adjusted secup (m) = 139.808 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
33b		Adjusted secup (m) = 139.921 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
34a	Bh-length (m) = 140.1 T (m ² /s) = 4.67E-9 PFL confidence = Uncertain	Adjusted secup (m) = 140.049 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
34b		Adjusted secup (m) = 140.089 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-22. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
35a	Bh-length (m) = 142.9 T (m ² /s) = 6.11E-7 PFL confidence = Certain	Adjusted secup (m) = 142.807 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
35b		Adjusted secup (m) = 142.842 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
35c		Adjusted secup (m) = 142.900 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
35d		Adjusted secup (m) = 142.939 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
35e		Adjusted secup (m) = 142.942 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-23. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	Bh-length (m) = 144.7 T (m ² /s) = 1.15E-7 PFL confidence = Certain	Adjusted secup (m) = 144.614 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
36b		Adjusted secup (m) = 144.783 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
36c		Adjusted secup (m) = 144.847 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-24. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37a	Bh-length (m) = 145.9 T (m ² /s) = 1.08E-7 PFL confidence = Certain	Adjusted secup (m) = 145.881 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
37b		Adjusted secup (m) = 145.890 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
37c		Adjusted secup (m) = 145.925 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-25. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
38a	Bh-length (m) = 147.5 T (m ² /s) = 6.34E-7 PFL confidence = Certain	Adjusted secup (m) = 147.516 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL 38a shows a geological cross-section with a vertical axis of elevation from 147.149 to 148.031. A red arrow points to a specific feature. A circled ID '234 09' is visible on the right side of the image.</p>
39a	Bh-length (m) = 148.1 T (m ² /s) = 3.30E-8 PFL confidence = Certain	Adjusted secup (m) = 147.938 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image for PFL 39a shows a geological cross-section with a vertical axis of elevation from 147.751 to 148.071. A red arrow points to a specific feature. A circled ID '105 54' is visible on the right side of the image.</p>
39b		Adjusted secup (m) = 148.060 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL 39b shows a geological cross-section with a vertical axis of elevation from 148.111 to 149.633. It displays several distinct geological layers.</p>

Table A1-26. KLX12A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
40a	Bh-length (m) = 148.8 T (m ² /s) = 6.05E-9 PFL confidence = Certain	Adjusted secup (m) = 148.826 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
40b		Adjusted secup (m) = 148.932 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
41a	Bh-length (m) = 151.1 T (m ² /s) = 1.87E-7 PFL confidence = Uncertain	Adjusted secup (m) = 151.079 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
41b		Adjusted secup (m) = 151.216 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-27. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
42a	Bh-length (m) = 151.4 T (m ² /s) = 8.86E-7 PFL confidence = Certain	Adjusted secup (m) = 151.337 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
42b		Adjusted secup (m) = 151.386 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
42c		Adjusted secup (m) = 151.393 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-28. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
43a	<p>Bh-length (m) = 152.8</p> <p>T (m²/s) = 2.51E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 152.835</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p>	
44a	<p>Bh-length (m) = 154.7</p> <p>T (m²/s) = 1.45E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 154.815</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A1-29. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
45a	Bh-length (m) = 155.1 T (m ² /s) = 2.87E-9 PFL confidence = Uncertain	Adjusted secup (m) = 155.032 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
45b		Adjusted secup (m) = 155.034 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
45c		Adjusted secup (m) = 155.042 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
45d		Adjusted secup (m) = 155.090 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-30. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
46a	<p>Bh-length (m) = 155.6</p> <p>T (m²/s) = 4.92E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 155.570</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
47a	<p>Bh-length (m) = 180.2</p> <p>T (m²/s) = 2.43E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 180.156</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A1-31. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
48a	Bh-length (m) = 182.8 T (m ² /s) = 1.13E-7 PFL confidence = Certain	Adjusted secup (m) = 182.638 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
48b		Adjusted secup (m) = 182.683 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
48c		Adjusted secup (m) = 182.688 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
48d		Adjusted secup (m) = 182.693 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
48e		Adjusted secup (m) = 182.706 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

48f	Adjusted secup (m) = 182.745
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 1
48g	Adjusted secup (m) = 182.820
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 1
	Best choice

Table A1-32. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
49a	Bh-length (m) = 185.6 T (m ² /s) = 8.33E-8 PFL confidence = Uncertain	Adjusted secup (m) = 185.534 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
49b		Adjusted secup (m) = 185.691 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
49c		Adjusted secup (m) = 185.717 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-33. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
50a	Bh-length (m) = 201.8 T (m ² /s) = 1.17E-8 PFL confidence = Certain	Adjusted secup (m) = 201.735 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50b		Adjusted secup (m) = 201.757 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50c		Adjusted secup (m) = 201.825 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
50d		Adjusted secup (m) = 201.881 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A1-34. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
51a	Bh-length (m) = 234.1 T (m ² /s) = 3.30E-8 PFL confidence = Certain	Adjusted secup (m) = 234.195 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
51b		Adjusted secup (m) = 234.196 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
51c		Adjusted secup (m) = 234.280 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-35. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
52a	Bh-length (m) = 235.3 T (m ² /s) = 3.78E-8 PFL confidence = Certain	Adjusted secup (m) = 234.935 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
52b		Adjusted secup (m) = 235.185 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
52c		Adjusted secup (m) = 235.480 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A1-36. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
53a	Bh-length (m) = 236.1 T (m ² /s) = 1.08E-8 PFL confidence = Certain	Two fracture indications in the BIPS figure are not recorded in the BOREMAP database. Possible best choices. Otherwise there are no fractures to correlate to this anomaly.	

Table A1-37. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
54a	Bh-length (m) = 242.8 T (m ² /s) = 1.04E-9 PFL confidence = Certain	Adjusted secup (m) = 242.720 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	
54b		Adjusted secup (m) = 242.866 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1	
54c		Adjusted secup (m) = 242.893 Fract_interpret / Varcodes = open fr. Frac.interp. confidence = Probable PFL-anom. confidence = 1 Best choice	

Table A1-38. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
55a	Bh-length (m) = 244.8	Adjusted secup (m) = 244.750	
	T (m ² /s) = 3.69E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence = Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
55b		Adjusted secup (m) = 244.946	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	

Table A1-39. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
56a	Bh-length (m) = 245.6 T (m ² /s) = 1.41E-7 PFL confidence = Certain	Adjusted secup (m) = 245.544 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image displays a vertical cross-section of geological data. The vertical axis on the left is labeled with elevation values from 245.100 to 245.980 in increments of 0.020. The horizontal axis at the top is labeled with 'D', 'L', 'U', 'R', and 'D'. On the right side, there are numerical values: 174.11, 333.04, 117.12, 117.12, 040.18, 058.84, 016.80, 077.81 (circled in red), 109.58, 022.85, 032.87, 032.87, 040.10, 034.75, 035.80, 331.68, 140.08, 140.08, 040.75, and 222.78. A red arrow points to a dark, irregular feature in the center of the image, and a red circle highlights the value 077.81 on the right side.</p>
56b		Adjusted secup (m) = 245.625 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
56c		Adjusted secup (m) = 245.661 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-40. KLX12A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
57a	<p>Bh-length (m) = 261.2</p> <p>T (m²/s) = 2.63E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 261.315</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	 <p>The BIPS image for anomaly 57a is a vertical cross-section of a wellbore. The vertical axis on the left is labeled with depth values from 261.841 to 261.725. The vertical axis on the right is labeled with values 151.82, 347.10, 262.88, 101.88, and 358.16. A fracture is visible as a dark, irregular shape in the center. A red arrow points to the fracture. A red circle highlights the value '101.88' on the right-hand axis.</p>
58a	<p>Bh-length (m) = 261.5</p> <p>T (m²/s) = 9.30E-9</p> <p>PFL confidence = Uncertain</p>	<p>Adjusted secup (m) = 261.315</p> <p>Fract_interpret / Varcodes= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> <p>The same fracture as anomaly 57</p>	 <p>The BIPS image for anomaly 58a is a vertical cross-section of a wellbore. The vertical axis on the left is labeled with depth values from 261.842 to 261.925. The vertical axis on the right is labeled with values 151.82, 262.88, 101.88, and 358.16. A fracture is visible as a dark, irregular shape in the center. A red arrow points to the fracture. A red circle highlights the value '101.88' on the right-hand axis.</p>

Table A1-41. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
59a	Bh-length (m) = 265.5	Adjusted secup (m) = 265.057	
	T (m ² /s) = 1.27E-8	Fract_interpret / Varcod= open fr.	
	PFL confidence = Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	
59b		Adjusted secup (m) = 265.371	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	

Table A1-42. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
60a	Bh-length (m) = 270.8 T (m ² /s) = 3.73E-9 PFL confidence = Certain	Adjusted secup (m) = 270.711 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
60b		Adjusted secup (m) = 270.746 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
60c		Adjusted secup (m) = 270.756 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
60d		Adjusted secup (m) = 270.787 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
60e		Adjusted secup (m) = 270.892 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

60f

Adjusted secup (m) =
270.916

Fract_interpret / Varcod=

open fr.

Frac.interp. confidence=
Probable

PFL-anom. confidence=
2

Table A1-43. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
61a	Bh-length (m) = 274.5 T (m ² /s) = 5.32E-9 PFL confidence = Certain	Adjusted secup (m) = 274.532 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL 61a shows a geological cross-section with a red arrow pointing to a fracture. A red circle highlights the value 116.44 on the right side of the image. The vertical axis on the left is labeled with values from 274.131 to 275.014. The vertical axis on the right is labeled with values from 222.37 to 151.76.</p>
62a	Bh-length (m) = 274.8 T (m ² /s) = 3.66E-9 PFL confidence = Uncertain	Adjusted secup (m) = 274.905 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL 62a shows a geological cross-section with a red arrow pointing to a fracture. A red circle highlights the value 106.73 on the right side of the image. The vertical axis on the left is labeled with values from 274.482 to 275.376. The vertical axis on the right is labeled with values from 222.37 to 066.83.</p>

Table A1-44. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom. data	Boremap data	BIPS Image
63a	Bh-length (m) = 282.3 T (m ² /s) = 1.66E-8 PFL confidence = Certain	Adjusted secup (m) = 282.254 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
63b		Adjusted secup (m) = 282.343 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
64a	Bh-length (m) = 323.3 T (m ² /s) = 9.22E-10 PFL confidence = Certain	Adjusted secup (m) = 323.231 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A1-45. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
65a	Bh-length (m) = 391.8 T (m ² /s) = 1.16E-9 PFL confidence = Certain	Adjusted secup (m) = 391.819 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
65b		Adjusted secup (m) = 391.879 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A1-46. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
66a	Bh-length (m) = 395.9 T (m ² /s) = 2.77E-8 PFL confidence = Certain	Adjusted secup (m) = 395.813 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
66b		Adjusted secup (m) = 395.850 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
66c		Adjusted secup (m) = 395.864 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A1-47. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
67a	Bh-length (m) = 396.5 T (m ² /s) = 3.99E-9 PFL confidence = Uncertain	Adjusted secup (m) = 396.270 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
67b		Adjusted secup (m) = 396.595 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
67c		Adjusted secup (m) = 396.791 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-48. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
68a	Bh-length (m) = 398.1 T (m ² /s) = 4.23E-8 PFL confidence = Certain	Adjusted secup (m) = 398.036 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
68b		Adjusted secup (m) = 398.174 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
68c		Adjusted secup (m) = 398.211 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A1-49. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
69a	Bh-length (m) = 398.7 T (m ² /s) = 5.26E-9 PFL confidence = Certain	Adjusted secup (m) = 398.500 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
69b		Adjusted secup (m) = 398.535 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
69c		Adjusted secup (m) = 398.538 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
69d		Adjusted secup (m) = 398.677 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
69e		Adjusted secup (m) = 398.790 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

69f	Adjusted secup (m) = 398.794 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
69g	Adjusted secup (m) = 398.860 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
69h	Adjusted secup (m) = 398.919 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1

Table A1-50. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
70a	<p>Bh-length (m) = 404.0</p> <p>T (m²/s) = 9.82E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 404.005</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 70a shows a vertical strip of a field with various features. A red arrow points to a specific area in the upper-middle section. A red circle highlights the value 137.71 on the right side of the image. The image has a vertical scale on the left from 403.644 to 404.530 and a horizontal scale at the top with letters D, L, U, R, D.</p>
71a	<p>Bh-length (m) = 407.7</p> <p>T (m²/s) = 7.01E-9</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 407.672</p> <p>Fract_interpret / Varcod= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	<p>The BIPS image for PFL 71a shows a vertical strip of a field with various features. A red arrow points to a specific area in the lower-middle section. A red circle highlights the value 232.52 on the right side of the image. The image has a vertical scale on the left from 407.380 to 408.194 and a horizontal scale at the top with letters D, L, U, R, D.</p>

Table A1-52. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
72a	Bh-length (m) = 420.1 T (m ² /s) = 1.55E-8 PFL confidence = Certain	Adjusted secup – seclow = 420.088 – 420.130 Fract_interpret / Varcod= crush zone PFL-anom. confidence = 1 Best choice crush	
72b		Adjusted secup (m) = 419.962 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice fracture	

Table A1-52. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
73a	Bh-length (m) = 523.5 T (m ² /s) = 5.99E-9 PFL confidence = Uncertain	Adjusted secup (m) = 523.240 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
73b		Adjusted secup (m) = 523.318 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
73c		Adjusted secup (m) = 523.320 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
73d		Adjusted secup (m) = 523.371 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
73e		Adjusted secup (m) = 523.475 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A1-53. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
74a	<p>Bh-length (m) = 538.5</p> <p>T (m²/s) = 1.05E-8</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 538.388</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p> <p>Adjusted secup (m) = 538.668</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 2</p>	
75a	<p>Bh-length (m) = 539.7</p> <p>T (m²/s) = 1.06E-7</p> <p>PFL confidence = Certain</p>	<p>Adjusted secup (m) = 539.635</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Certain</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	

Table A1-54. KLX12A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
76a	Bh-length (m) = 542.9 T (m ² /s) = 9.73E-9 PFL confidence = Certain	Adjusted secup (m) = 542.885 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
76b		Adjusted secup (m) = 542.913 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
76c		Adjusted secup (m) = 542.934 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	


Table A1-55. KLX12A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
77a	Bh-length (m) = 553.7 T (m ² /s) = 5.59E-10 PFL confidence = Uncertain	Adjusted secup (m) = 553.502 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
77b		Adjusted secup (m) = 553.567 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
77c		Adjusted secup (m) = 553.568 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
77d		Adjusted secup (m) = 553.591 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
77e		Adjusted secup (m) = 553.615 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	


77f	Adjusted secup (m) = 553.634
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 1
77g	Adjusted secup (m) = 553.650
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 1
77h	Adjusted secup (m) = 553.792
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 1


Appendix 2 – KLX13A


In this appendix plots showing Flow log anomalies to core mapped features in KLX13A for every 25 meters of the borehole are found. BIPS images of PFL anomalies are also found.



























































Table A2-1. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
1	<p>Bh-length (m) = 102.20</p> <p>T (m²/s) = 5.07E-8</p> <p>PFL confidence= Certain</p>	<p>Adjusted secup (m) = 102.52</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 3</p> <p>Best choice</p>	
2a	<p>Bh-length (m) = 102.90</p> <p>T (m²/s) = 2.24E-9</p> <p>PFL confidence= Certain</p>	<p>Adjusted secup (m) = 102.83</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Probable</p> <p>PFL-anom. confidence= 1</p> <p>Best choice</p>	
2b		<p>Adjusted secup (m) = 102.96</p> <p>Fract_interpret / Varcode= open fr.</p> <p>Frac.interp. confidence= Possible</p> <p>PFL-anom. confidence= 1</p>	

Table A2-2. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
3a	Bh-length (m) = 104.10 T (m ² /s) = 1.10E-9 PFL confidence= Uncertain	Adjusted secup (m) = 103.89 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
3b		Adjusted secup (m) = 104.099 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
4	Bh-length (m) = 104.70 T (m ² /s) = 3.11E-9 PFL confidence= Uncertain	Adjusted secup (m) = 104.65 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-3. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
5	Bh-length (m) = 105.00 T (m ² /s) = 1.60E-8 PFL confidence= Certain	Adjusted secup (m) = xx.xx Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible/Probable/Certain PFL-anom. confidence= X Best choice	
6a	Bh-length (m) = 108.60 T (m ² /s) = 1.61E-9 PFL confidence= Certain	Adjusted secup (m) = 108.40 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
6b		Adjusted secup (m) = 108.64 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-4. KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
7a	Bh-length (m) = 111.90 T (m ² /s) = 1.48E-8 PFL confidence= Certain	Adjusted secup (m) = 111.70 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Adjusted secup (m) = 112.04 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
7b			
8a	Bh-length (m) = 112.70 T (m ² /s) = 1.64E-9 PFL confidence= Uncertain	Adjusted secup (m) = 112.73 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
8b		Adjusted secup (m) = 112.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-5. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
9a	Bh-length (m) = 115.00 T (m ² /s) = 7.38E-10 PFL confidence= Uncertain	Adjusted secup (m) = 115.01 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
9b		Adjusted secup (m) = 115.09 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probab PFL-anom. confidence= 1	
10	Bh-length (m) = 120.00 T (m ² /s) = 4.30E-7 PFL confidence= Certain	Adjusted secup (m) = 119.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-6. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
11a	Bh-length (m) = 122.30 T (m ² /s) = 1.80E-6 PFL confidence= Certain	Adjusted secup (m) = 122.18 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image shows a vertical cross-section of a borehole. The top is labeled 'D L U R D'. The left side has elevation markers from 121.858 to 122.696. The right side has markers from 140.82 to 133.85. A red arrow points to a feature at approximately 122.218 m elevation. A red circle highlights a data point at 335.66 with a 6.0mm value.</p>
11b		Adjusted secup (m) = 122.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
11c		Adjusted secup (m) = 122.33 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-7. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
12a	Bh-length (m) = 171.90 T (m ² /s) = 3.12E-9 PFL confidence= Uncertain	Adjusted secup (m) = 171.70 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
12b		Adjusted secup (m) = 171.90 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
13a	Bh-length (m) = 173.30 T (m ² /s) = 4.27E-9 PFL confidence= Uncertain	Adjusted secup (m) = 173.26 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
13b		Adjusted secup (m) = 173.31 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-8. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
14a	Bh-length (m) = 174.20 T (m ² /s) = 1.57E-8 PFL confidence= Uncertain	Adjusted secup (m) = 174.02 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
14b		Adjusted secup (m) = 174.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
14c		Adjusted secup (m) = 174.29 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
14d		Adjusted secup (m) = 174.33 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	

14e	Adjusted secup (m) = 174.34
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Possible
	PFL-anom. confidence= 2
14f	Adjusted secup (m) = 174.36
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 2

Table A2-9. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
15a	Bh-length (m) = 174.80 T (m ² /s) = 1.32E-8 PFL confidence= Uncertain	Adjusted secup (m) = 174.67 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
15b		Adjusted secup (m) = 174.79 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-10. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
16a	Bh-length (m) = 175.10 T (m ² /s) = 5.26E-8 PFL confidence= Certain	Adjusted secup (m) = 175.03 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
16b		Adjusted secup (m) = 175.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
16c		Adjusted secup (m) = 175.19 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
16d		Adjusted secup (m) = 175.29 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-11. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
17	Bh-length (m) = 191.80 T (m ² /s) = 5.23E-9 PFL confidence= Certain	Adjusted secup (m) = 191.69 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
18a	Bh-length (m) = 194.30 T (m ² /s) = 5.38E-8 PFL confidence= Certain	Adjusted secup (m) = 194.17 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
18b		Adjusted secup (m) = 194.20 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-12. KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
19a	Bh-length (m) = 198.30 T (m ² /s) = 8.15E-9 PFL confidence= Certain	Adjusted secup (m) = 198.22 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
19b		Adjusted secup (m) = 198.40 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
20	Bh-length (m) = 210.60 T (m ² /s) = 1.40E-9 PFL confidence= Certain	Adjusted secup (m) = 210.62 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-13. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
21	Bh-length (m) = 212.30 T (m ² /s) = 2.82E-8 PFL confidence= Certain	Adjusted secup (m) = 212.15 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
22	Bh-length (m) = 213.20 T (m ² /s) = 1.71E-8 PFL confidence= Certain	Adjusted secup (m) = 213.28 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-14. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
23a	Bh-length (m) = 216.20 T (m ² /s) = 5.76E-8 PFL confidence= Certain	Adjusted secup (m) = 216.18 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
23b		Adjusted secup (m) = 216.24 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
23c		Adjusted secup (m) = 216.42 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-15. KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
24a	Bh-length (m) = 221.80 T (m ² /s) = 2.84E-8 PFL confidence= Certain	Adjusted secup (m) = 221.80 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
24b		Adjusted secup (m) = 221.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
25a	Bh-length (m) = 222.30 T (m ² /s) = 4.90E-9 PFL confidence= Uncertain	Adjusted secup (m) = 222.13 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
25b		Adjusted secup (m) = 222.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-16. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
26a	Bh-length (m) = 223.5 T (m ² /s) = 4.32E-8 PFL confidence= Certain	Adjusted secup (m) = 223.47 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
26b		Adjusted secup (m) = 223.51 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
26c		Adjusted secup (m) = 223.64 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-17. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
27a	Bh-length (m) = 225.20 T (m ² /s) = 1.07E-7 PFL confidence= Certain	Adjusted secup (m) = 225.00 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
27b		Adjusted secup (m) = 225.04 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
27c		Adjusted secup (m) = 225.14 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
27d		Adjusted secup (m) = 225.24 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
27e		Adjusted secup (m) = 225.27 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-18. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
28a	Bh-length (m) = 225.7 T (m ² /s) = 2.44E-8 PFL confidence= Uncertain	Adjusted secup (m) = 225.59 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
28b		Adjusted secup (m) = 225.63 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
28c		Adjusted secup (m) = 225.88 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-19. KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
29a	Bh-length (m) = 227.30 T (m ² /s) = 3.85E-9 PFL confidence= Uncertain	Adjusted secup (m) = 227.33 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
29b		Adjusted secup (m) = 227.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
30	Bh-length (m) = 228.20 T (m ² /s) = 1.13E-7 PFL confidence= Certain	Adjusted secup (m) = xx.xx Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible/Probable/Certain PFL-anom. confidence= X Best choice	

Table A2-20. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
31	Bh-length (m) = 232.80 T (m ² /s) = 5.18E-9 PFL confidence= Certain	Adjusted secup (m) = 232.91 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
32	Bh-length (m) = 240.70 T (m ² /s) = 3.47E-9 PFL confidence= Certain	Adjusted secup (m) = 240.70 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-21. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
33a	Bh-length (m) = 241.7 T (m ² /s) = 1.57E-9 PFL confidence= Certain	Adjusted secup (m) = 241.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
33b		Adjusted secup (m) = 241.62 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-22. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
34a	Bh-length (m) = 251.50 T (m ² /s) = 1.87E-9 PFL confidence= Uncertain	Adjusted secup (m) = 251.37 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image displays a geological cross-section with various layers and features. A red arrow points to a specific feature on the left side. Two red circles highlight data points on the right side: one at 266.41 and another at 230.12. The image is labeled 'D L U R D' at the top.</p>
34b		Adjusted secup (m) = 251.37 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
34c		Adjusted secup (m) = 251.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-23. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
35a	Bh-length (m) = 252.00 T (m ² /s) = 6.76E-9 PFL confidence= Certain	Adjusted secup (m) = 251.83 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
35b		Adjusted secup (m) = 251.86 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
35c		Adjusted secup (m) = 251.98 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-24. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
36a	Bh-length (m) = 255.00 T (m ² /s) = 9.88E-9 PFL confidence= Certain	Adjusted secup (m) = 255.01 Adjusted seclow (m) = 255.12 Fract_interpret / Varcod= crush Frac.interp. confidence= Possible/Probable/Certain PFL-anom. confidence= X Best choice	
36b	Adjusted secup (m) = 254.94 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1		
36c	Adjusted secup (m) = 254.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1		

Table A2-25. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
37	Bh-length (m) = 267.50 T (m ² /s) = 8.29E-9 PFL confidence= Certain	Adjusted secup (m) = 267.44 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
38a	Bh-length (m) = 279.30 T (m ² /s) = 1.91E-9 PFL confidence= Certain	Adjusted secup (m) = 279.27 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
38b		Adjusted secup (m) = 279.31 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-26. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
39	Bh-length (m) = 287.20 T (m ² /s) = 7.22E-10 PFL confidence= Uncertain	Adjusted secup (m) = 287.12 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL No 39 shows a geological cross-section with a grid overlay. A red arrow points to a circled value of 1.0mm on the right side of the image. The image is labeled 'D L U R D' at the top.</p>
40	Bh-length (m) = 291.40 T (m ² /s) = 5.31E-9 PFL confidence= Certain	Adjusted secup (m) = 291.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	<p>The BIPS image for PFL No 40 shows a geological cross-section with a grid overlay. A red arrow points to a circled value of 5.0mm on the right side of the image. The image is labeled 'D L U R D' at the top.</p>

Table A2-27. KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
41a	Bh-length (m) = 297.10 T (m ² /s) = 1.16E-8 PFL confidence= Certain	Adjusted secup (m) = 297.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
41b		Adjusted secup (m) = 297.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
42	Bh-length (m) = 298.5 T (m ² /s) = 8.90E-9 PFL confidence= Certain	Adjusted secup (m) = 298.53 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-28. KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
43	Bh-length (m) = 315.90 T (m ² /s) = 5.09E-7 PFL confidence= Certain	Adjusted secup (m) = 315.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
44	Bh-length (m) = 331.00 T (m ² /s) = 3.31E-10 PFL confidence= Uncertain	Adjusted secup (m) = 330.91 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-29 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
45a	Bh-length (m) = 349.00 T (m ² /s) = 1.48E-7 PFL confidence= Certain	Adjusted secup (m) = 348.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
45b		Adjusted secup (m) = 349.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
45c		Adjusted secup (m) = 349.19 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
45d		Adjusted secup (m) = 349.27 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-30 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
46	Bh-length (m) = 350.80	Adjusted secup (m) = 350.68	
	T (m ² /s) = 3.15E-8	Fract_interpret / Varcode= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
		Best choice	

Table A2-31 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
47a	Bh-length (m) = 351.4 T (m ² /s) = 2.79E-8 PFL confidence= Certain	Adjusted secup (m) = 351.21 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
47b		Adjusted secup (m) = 351.24 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
47c		Adjusted secup (m) = 351.36 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
47d		Adjusted secup (m) = 351.41 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
47e		Adjusted secup (m) = 351.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

47f	Adjusted secup (m) = 351.58
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Probable
	PFL-anom. confidence=
	2
47g	Adjusted secup (m) = 351.59
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Probable
	PFL-anom. confidence=
	2
	<i>Not visible in BIPS</i>

Table A2-32 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
48a	Bh-length (m) = 353.80 T (m ² /s) = 6.35E-10 PFL confidence= Uncertain	Adjusted secup (m) = 353.51 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
48b		Adjusted secup (m) = 353.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	

Table A2-33 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
49a	Bh-length (m) = 362.00 T (m ² /s) = 2.45E-7 PFL confidence= Certain	Adjusted secup (m) = 361.82 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
49b		Adjusted secup (m) = 361.85 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
49c		Adjusted secup (m) = 361.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
49d		Adjusted secup (m) = 361.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
49e		Adjusted secup (m) = 361.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

49f

Adjusted secup (m) =
362.13

Fract_interpret / Varcod=

open fr.

Frac.interp. confidence=
Certain

PFL-anom. confidence=
1

Table A2-34 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
50a	Bh-length (m) = 363.20 T (m ² /s) = 1.23E-8 PFL confidence= Certain	Adjusted secup (m) = 363.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
50b		Adjusted secup (m) = 363.25 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1 Best choice	
50c		Adjusted secup (m) = 363.39 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-35 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
51a	Bh-length (m) = 364.80 T (m ² /s) = 3.68E-8 PFL confidence= Certain	Adjusted secup (m) = 364.78 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
51b		Adjusted secup (m) = 364.80 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
51c		Adjusted secup (m) = 364.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
51d		Adjusted secup (m) = 364.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-36 KLX13A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
52a	Bh-length (m) = 366.50 T (m ² /s) = 1.24E-8 PFL confidence= Certain	Adjusted secup (m) = 366.37 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
52b		Adjusted secup (m) = 366.71 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 3	

Table A2-37 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
53a	Bh-length (m) = 367.00 T (m ² /s) = 2.48E-9 PFL confidence= Certain	Adjusted secup (m) = 366.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
53b		Adjusted secup (m) = 366.90 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
53c		Adjusted secup (m) = 366.97 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
53d		Adjusted secup (m) = 367.10 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-38 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
54a	Bh-length (m) = 371.30	Adjusted secup (m) = 371.17	
	T (m ² /s) = 2.15E-9	Fract_interpret / Varcod= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	
		Best choice	
54b		Adjusted secup (m) = 371.47	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	

Table A2-39 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
55a	Bh-length (m) = 372.00 T (m ² /s) = 2.59E-9 PFL confidence= Certain	Adjusted secup (m) = 371.86 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
55b		Adjusted secup (m) = 371.90 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
55c		Adjusted secup (m) = 371.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
55d		Adjusted secup (m) = 372.17 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-40 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
56a	Bh-length (m) = 373.30 T (m ² /s) = 5.36E-9 PFL confidence= Certain	Adjusted secup (m) = 373.20 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
56b		Adjusted secup (m) = 373.35 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
56c		Adjusted secup (m) = 373.36 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
56d		Adjusted secup (m) = 337.48 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-41 KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
57a	Bh-length (m) = 347.40 T (m ² /s) = 1.75E-7 PFL confidence= Certain	Adjusted secup (m) = 374.31 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
57b		Adjusted secup (m) = 374.44 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
58	Bh-length (m) = 374.80 T (m ² /s) = 3.82E-9 PFL confidence= Uncertain	Adjusted secup (m) = 374.75 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-42 KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
59a	Bh-length (m) = 376.30 T (m ² /s) = 2.54E-8 PFL confidence= Certain	Adjusted secup (m) = 376.33 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
59b		Adjusted secup (m) = 376.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Same fracture as 60a	
60a	Bh-length (m) = 377.70 T (m ² /s) = 5.29E-9 PFL confidence= Certain	Adjusted secup (m) = 376.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Same fracture as 59b	
60b		Adjusted secup (m) = 377.61 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	

Table A2-43 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
61	Bh-length (m) = 379.20 T (m ² /s) = 5.86E-8 PFL confidence= Certain	Adjusted secup (m) = 379.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
62a	Bh-length (m) = 380.20 T (m ² /s) = 1.66E-8 PFL confidence= Certain	Adjusted secup (m) = 380.11 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
62b		Adjusted secup (m) = 380.18 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-44 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
63	Bh-length (m) = 380.70 T (m ² /s) = 9.35E-9 PFL confidence= Certain	Adjusted secup (m) = 380.64 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
64a	Bh-length (m) = 382.10 T (m ² /s) = 2.90E-9 PFL confidence= Certain	Adjusted secup (m) = 382.07 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
64b		Adjusted secup (m) = 382.14 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-45 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
65a	Bh-length (m) = 383.10 T (m ² /s) = 7.48E-9 PFL confidence= Certain	Adjusted secup (m) = 382.96 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	<p>The BIPS image is a vertical cross-section of a geological site. The left side shows elevation data in meters, ranging from 382.684 at the top to 383.523 at the bottom. The right side shows elevation data from 140.82 to 081.24. A red arrow points to a feature in the center of the image. A red circle highlights a data point on the right side, with values 0.03 31, 1.0mm, 0.48 23, and 1.0mm.</p>
65b		Adjusted secup (m) = 382.98 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-46 KLX13A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
66a	Bh-length (m) = 384.70 T (m2/s) = 7.68E-9 PFL confidence= Uncertain	Adjusted secup (m) = 384.54 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	
66b		Adjusted secup (m) = 384.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
66c		Adjusted secup (m) = 384.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-47 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
67a	Bh-length (m) = 385.10 T (m ² /s) = 1.95E-6 PFL confidence= Certain	Adjusted secup (m) = 384.93 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
67b		Adjusted secup (m) = 384.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
67c		Adjusted secup (m) = 384.96 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
67d		Adjusted secup (m) = 385.00 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
67e		Adjusted secup (m) = 385.12 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

67f	Adjusted secup (m) = 385.16 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
67g	Adjusted secup (m) = 385.17 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
67h	Adjusted secup (m) = 385.20 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2

Table A2-48 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
68a	Bh-length (m) = 385.60 T (m ² /s) = 9.53E-7 PFL confidence= Certain	Adjusted secup (m) = 385.43 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
68b		Adjusted secup (m) = 385.45 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
68c		Adjusted secup (m) = 385.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
68d		Adjusted secup (m) = 385.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
68e		Adjusted secup (m) = 385.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-48 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
68f		Adjusted secup (m) = 385.55	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
68g		Adjusted secup (m) = 385.63	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
68h		Adjusted secup (m) = 385.64	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
68i		Adjusted secup (m) = 385.66	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
68j		Adjusted secup (m) = 385.68	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	

Table A2-48 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom.	PFL anom data	Boremap data	BIPS Image
No			
68k		Adjusted secup (m) = 385.77	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 2	

Table A2-49 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
69a	Bh-length (m) = 386.60 T (m ² /s) = 5.75E-9 PFL confidence= Uncertain	Adjusted secup (m) = 386.42 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
69b		Adjusted secup (m) = 386.60 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-50 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
70a	Bh-length (m) = 387.50 T (m ² /s) = 1.07E-6 PFL confidence= Certain	Adjusted secup (m) = 387.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
70b		Adjusted secup (m) = 387.34 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
70c		Adjusted secup (m) = 387.38 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
70d		Adjusted secup (m) = 387.43 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
70e		Adjusted secup (m) = 387.47 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

70f	Adjusted secup (m) = 387.55 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
70g	Adjusted secup (m) = 387.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= certain PFL-anom. confidence= 1
70h	Adjusted secup (m) = 387.71 Adjusted seclow (m) = 387.82 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 3 Best choice crush

Table A2-51 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
71a	Bh-length (m) = 387.90 T (m ² /s) = 2.75E-8 PFL confidence= Certain	Adjusted secup (m) = 387.93 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
71b		Adjusted secup (m) = 387.94 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
71c		Adjusted secup (m) = 387.94 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
71d		Adjusted secup (m) = 387.95 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
71e		Adjusted secup (m) = 388.05 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

71f	Adjusted secup (m) = 388.09
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Certain
	PFL-anom. confidence=
	2
71g	Adjusted secup (m) = 387.71
	Adjusted seclow (m) = 387.82
	Fract_interpret / Varcod=
	crush
	Frac.interp. confidence=
	Certain
	PFL-anom. confidence=
	1
	Best choice

Table A2-52 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
72a	Bh-length (m) = 389.20 T (m ² /s) = 1.85E-8 PFL confidence= Certain	Adjusted secup (m) = 389.14 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
72b		Adjusted secup (m) = 389.24 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
72c		Adjusted secup (m) = 389.26 Fract_interpret / Varcode= open frac. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
72d		Adjusted secup (m) = 389.30 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
72e		Adjusted secup (m) = 389.39 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-53 KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
73a	Bh-length (m) = 392.50 T (m ² /s) = 9.91E-10 PFL confidence= Uncertain	Adjusted secup (m) = 392.47 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
73b		Adjusted secup (m) = 392.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
74	Bh-length (m) = 399.80 T (m ² /s) = 4.02E-8 PFL confidence= Certain	Adjusted secup (m) = 399.56 Adjusted seclow (m) = 399.89 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-54 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
75a	Bh-length (m) = 401.00 T (m ² /s) = 2.57E-7 PFL confidence= Certain	Adjusted secup (m) = 400.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75b		Adjusted secup (m) = 400.87 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
75c		Adjusted secup (m) = 400.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
75d		Adjusted secup (m) = 400.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
75e		Adjusted secup (m) = 400.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

75f	Adjusted secup (m) = 401.05
	Fract_interpret / Varcodes= open frac.
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 1
	Best choice

Table A2-55 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
76a	Bh-length (m) = 403.40 T (m ² /s) = 2.53E-9 PFL confidence= Certain	Adjusted secup (m) = 403.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
76b		Adjusted secup (m) = 403.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
76c		Adjusted secup (m) = 403.37 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
76d		Adjusted secup (m) = 403.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-56 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
77a	Bh-length (m) = 407.80	Adjusted secup (m) = 407.74	
	T (m ² /s) = 3.56E-7	Fract_interpret / Varcode= open frac.	
	PFL confidence= Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
77b		Adjusted secup (m) = 407.76	
		Adjusted seclow (m) = 407.80	
		Fract_interpret / Varcode= crush	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	

Table A2-57 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
78a	Bh-length (m) = 412.50	Adjusted secup (m) = 412.50	
	T (m ² /s) = 7.78E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	
78b		Adjusted secup (m) = 412.62	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	

Table A2-58 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
79a	Bh-length (m) = 415.70 T (m ² /s) = 3.54E-7 PFL confidence= Certain	Adjusted secup (m) = 415.56 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
79b		Adjusted secup (m) = 415.64 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
79c		Adjusted secup (m) = 415.65 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
79d		Adjusted secup (m) = 415.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-59 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
80a	Bh-length (m) = 418.50 T (m ² /s) = 2.22E-9 PFL confidence= Certain	Adjusted secup (m) = 418.45 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
80b		Adjusted secup (m) = 418.47 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	


Table A2-60 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
81a	Bh-length (m) = 419.20 T (m ² /s) = 2.53E-9 PFL confidence= Certain	Adjusted secup (m) = 419.12 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
81b		Adjusted secup (m) = 419.12 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
81c		Adjusted secup (m) = 419.18 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
81d		Adjusted secup (m) = 419.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
81e		Adjusted secup (m) = 419.22 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-61 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
82	Bh-length (m) = 424.40	Adjusted secup (m) = 424.38	
	T (m ² /s) = 1.76E-9	Fract_interpret / Varcode= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1 Best choice	

Table A2-62 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
83a	Bh-length (m) = 424.90 T (m ² /s) = 2.09E-9 PFL confidence= Certain	Adjusted secup (m) = 424.79 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
83b		Adjusted secup (m) = 424.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
83c		Adjusted secup (m) = 424.91 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
83d		Adjusted secup (m) = 424.93 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
83e		Adjusted secup (m) = 424.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

83f	Adjusted secup (m) = 425.07
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Possible
	PFL-anom. confidence=
	2

Table A2-63 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
84a	Bh-length (m) = 429.40 T (m ² /s) = 3.85E-9 PFL confidence= Certain	Adjusted secup (m) = 429.21 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	<p>The BIPS image displays a grid of boreholes overlaid on a topographic map. A red arrow points to a specific feature in the upper-middle section of the grid. The image includes a vertical scale on the right side with values ranging from 140.82 to 321.07. A value of 339.74 is circled in red, corresponding to a 2.0mm measurement.</p>
84b		Adjusted secup (m) = 429.23 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
84c		Adjusted secup (m) = 429.27 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
84d		Adjusted secup (m) = 429.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
84e		Adjusted secup (m) = 429.55 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-64 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
85a	Bh-length (m) = 435.40 T (m ² /s) = 2.65E-8 PFL confidence= Certain	Adjusted secup (m) = 435.27 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
85b		Adjusted secup (m) = 435.29 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
85c		Adjusted secup (m) = 435.31 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
85d		Adjusted secup (m) = 435.44 Adjusted seclow (m) = 435.50 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-65 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
86a	Bh-length (m) = 441.10 T (m ² /s) = 4.81E-9 PFL confidence= Certain	Adjusted secup (m) = 440.90 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
86b		Adjusted secup (m) = 441.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
86c		Adjusted secup (m) = 441.10 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best Choice	
86d		Adjusted secup (m) = 441.14 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-66 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
87a	Bh-length (m) = 443.30 T (m ² /s) = 7.20E-8 PFL confidence= Certain	Adjusted secup (m) = 443.26 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
87b		Adjusted secup (m) = 443.34 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
88	Bh-length (m) = 450.80 T (m ² /s) = 1.25E-6 PFL confidence= Certain	Adjusted secup (m) = 450.75 Adjusted seclow (m) = 450.84 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-67 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
89a	Bh-length (m) = 451.30	Adjusted secup (m) = 451.20	
	T (m ² /s) = 3.77E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	
89b		Adjusted secup (m) = 451.25	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	

Table A2-68 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
90a	Bh-length (m) = 454.90 T (m ² /s) = 2.92E-9 PFL confidence= Certain	Adjusted secup (m) = 454.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
90b		Adjusted secup (m) = 454.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
90c		Adjusted secup (m) = 454.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
90d		Adjusted secup (m) = 454.85 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
90e		Adjusted secup (m) = 455.10 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-69 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
91a	Bh-length (m) = 456.70 T (m ² /s) = 5.37E-7 PFL confidence= Certain	Adjusted secup (m) = 456.52 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
91b		Adjusted secup (m) = 456.67 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
91c		Adjusted secup (m) = 456.73 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
91d		Adjusted secup (m) = 456.76 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-70 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
92a	Bh-length (m) = 458.50 T (m ² /s) = 2.21E-8 PFL confidence= Certain	Adjusted secup (m) = 458.44 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
92b		Adjusted secup (m) = 458.69 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
93a	Bh-length (m) = 461.80 T (m ² /s) = 6.50E-7 PFL confidence= Certain	Adjusted secup (m) = 461.67 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
93b		Adjusted secup (m) = 461.95 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-71 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
94a	Bh-length (m) = 462.80 T (m ² /s) = 6.50E-8 PFL confidence= Certain	Adjusted secup (m) = 462.66 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
94b		Adjusted secup (m) = 462.75 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
94c		Adjusted secup (m) = 462.79 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
94d		Adjusted secup (m) = 462.97 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-73 KLX13A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
95a	Bh-length (m) = 463.90 T (m ² /s) = 5.66E-9 PFL confidence= Certain	Adjusted secup (m) = 463.82 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
95b		Adjusted secup (m) = 464.03 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
95c		Adjusted secup (m) = 464.08 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
95d		Adjusted secup (m) = 464.09 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-74 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
96a	Bh-length (m) = 465.30 T (m ² /s) = 2.02E-8 PFL confidence= Certain	Adjusted secup (m) = 465.02 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
96b		Adjusted secup (m) = 465.24 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
96c		Adjusted secup (m) = 465.28 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-75 KLX13A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
97a	Bh-length (m) = 465.90 T (m ² /s) = 2.39E-8 PFL confidence= Uncertain	Adjusted secup (m) = 465.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
97b		Adjusted secup (m) = 466.13 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 <i>Same as fracture 98a</i> Best choice	

Table A2-76 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
98a	Bh-length (m) = 466.30 T (m ² /s) = 9.00E-8 PFL confidence= Certain	Adjusted secup (m) = 466.13 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 <i>Same as fracture 97b</i>	
98b		Adjusted secup (m) = 466.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-77 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
99a	Bh-length (m) = 466.90 T (m ² /s) = 2.20E-9 PFL confidence= Uncertain	Adjusted secup (m) = 466.83 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
99b		Adjusted secup (m) = 466.93 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
99c		Adjusted secup (m) = 467.00 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
99d		Adjusted secup (m) = 467.09 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-78 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
100a	Bh-length (m) = 467.40	Adjusted secup (m) = 467.35	
	T (m ² /s) = 2.23E-9	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	
100b		Adjusted secup (m) = 467.58	
		Fract_interpret / Varcodes= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	

Table A2-79 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
101a	Bh-length (m) = 470.70 T (m ² /s) = 4.51E-8 PFL confidence= Certain	Adjusted secup (m) = 470.52 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
101b		Adjusted secup (m) = 470.66 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
101c		Adjusted secup (m) = 470.72 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
101d		Adjusted secup (m) = 470.84 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-80 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
102a	Bh-length (m) = 471.10 T (m ² /s) = 6.94E-8 PFL confidence= Certain	Adjusted secup (m) = 470.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	<p>The BIPS image displays a vertical cross-section of a borehole with various fracture patterns. A red arrow points to a specific fracture feature. The image includes a coordinate grid with values ranging from 470.602 to 471.443 on the y-axis and D, L, U, R, D on the x-axis. A data table on the right side of the image lists values such as 140.82, 006.65, 3.0mm, 0.60.66, 0.0mm, 012.63, 1.0mm, 023.36, 0.0mm, 358.27, 4.0mm, 319.21, 320.20, 1.0mm, 075.15, 1.0mm, 298.85, 0.0mm, 096.07, 0.600mm, and 0.0mm.</p>
102b		Adjusted secup (m) = 470.99 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
102c		Adjusted secup (m) = 471.23 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 <i>Same fracture as 103a</i>	
102d		Adjusted secup (m) = 471.24 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 <i>Same fracture as 103b</i>	

Table A2-81 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
103a	Bh-length (m) = 471.40	Adjusted secup (m) = 471.23	<p>The BIPS image displays a vertical cross-section of a borehole with various fracture patterns overlaid. A red arrow points to a specific fracture feature. A red circle highlights a data point labeled '075 15' on the right side of the image. The image includes a vertical scale on the left and a horizontal scale at the top with labels 'D', 'L', 'U', 'R', 'D'. Numerical values are listed along the right edge, including 140.82, 060.86, 358.27, 4.0mm, 319.21, 320.20, 1.0mm, 1.0mm, 075 15, 1.0mm, 288.85, 0.0mm, 096.07, 06600mm, 0.0mm, 049.49, 319.00mm, 0.0mm, and 319.07.</p>
	T (m ² /s) = 6.33E-9	Fract_interpret / Varcod= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2 <i>Same fracture as 102c</i>	
103b		Adjusted secup (m) = 471.24	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2 <i>Same fracture as 102d</i>	
103c		Adjusted secup (m) = 471.40	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1 Best choice	
103d		Adjusted secup (m) = 471.44	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Possible	
		PFL-anom. confidence= 1	
103e		Adjusted secup (m) = 471.47	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 1	

Table A2-82 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
104a	Bh-length (m) = 473.20	Adjusted secup (m) = 473.04	<p>The BIPS image displays a grid of elevation data. A red arrow points to a location at approximately 473,005 Easting and 472,805 Northing. A red circle highlights a value of 328.05 at approximately 473,165 Easting and 328.05 Northing. The grid is labeled with 'D', 'L', 'U', 'R', 'D' at the top and has numerical values along the left and right edges.</p>
	T (m ² /s) = 2.15E-9	Fract_interpret / Varcod= open fr.	
	PFL confidence= Certain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2	
		Best choice	
104b		Adjusted secup (m) = 473.30	
		Fract_interpret / Varcod= open fr.	
		Frac.interp. confidence= Probable	
		PFL-anom. confidence= 2	

Table A2-83 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
105a	Bh-length (m) = 474.80 T (m ² /s) = 1.73E-8 PFL confidence= Certain	Adjusted secup (m) = 474.71 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
105b		Adjusted secup (m) = 474.73 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
103c		Adjusted secup (m) = 474.78 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
105d		Adjusted secup (m) = 474.78 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
105e		Adjusted secup (m) = 474.84 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

105f	Adjusted secup (m) = 474.88 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
105g	Adjusted secup (m) = 474.91 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2
105h	Adjusted secup (m) = 474.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2

Table A2-84 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
106a	Bh-length (m) = 476.00 T (m ² /s) = 1.28E-8 PFL confidence= Uncertain	Adjusted secup (m) = 475.84 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	<p>The BIPS image is a vertical strip of data with a grid. The top is labeled 'D L U R D'. The left side has elevation values from 475.409 to 476.330. The right side has values from 140.82 to 0mm. A red arrow points to a feature in the middle. A red circle highlights the value 360.24 on the right side.</p>
106b		Adjusted secup (m) = 475.85 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
106c		Adjusted secup (m) = 476.18 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-85 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
107	Bh-length (m) = 476.60 T (m ² /s) = 2.70E-8 PFL confidence= Certain	Adjusted secup (m) = 476.51 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-86 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
108a	Bh-length (m) = 477.60 T (m ² /s) = 3.30E-8 PFL confidence= Uncertain	Adjusted secup (m) = 477.41 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
108b		Adjusted secup (m) = 477.45 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2 Best choice	
108c		Adjusted secup (m) = 477.50 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

Table A2-87 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
109a	Bh-length (m) = 478.10 T (m ² /s) = 2.84E-8 PFL confidence= Uncertain	Adjusted secup (m) = 478.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
109b		Adjusted secup (m) = 478.09 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
109c		Adjusted secup (m) = 478.11 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
109d		Adjusted secup (m) = 478.13 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
109e		Adjusted secup (m) = 478.29 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-88KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
110a	Bh-length (m) = 478.80 T (m ² /s) = 2.43E-8 PFL confidence= Uncertain	Adjusted secup (m) = 478.80 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	<p>The BIPS image displays a topographic map with overlaid fracture lines. A red arrow points to a fracture line in the upper-left quadrant. A red circle highlights a data point on the right side of the image, with the value '333.51' circled in red. The image includes a coordinate grid with values ranging from 478.453 to 479.294 on the x-axis and 140.82 to 075.22 on the y-axis.</p>
110b		Adjusted secup (m) = 478.77 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
110c		Adjusted secup (m) = 478.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 <i>Same fracture as no 111a</i>	

Table A2-89 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
111a	Bh-length (m) = 479.10 T (m ² /s) = 4.13E-8 PFL confidence= Certain	Adjusted secup (m) = 478.91 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 <i>Same fracture as no 110c</i>	
111b		Adjusted secup (m) = 479.07 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
111c		Adjusted secup (m) = 479.16 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-90 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
112a	Bh-length (m) = 480.80 T (m2/s) = 5.32E-8 PFL confidence= Certain	Adjusted secup (m) = 480.73 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
112b		Adjusted secup (m) = 480.76 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
112c		Adjusted secup (m) = 480.87 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

Table A2-91 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
113a	Bh-length (m) = 482.10 T (m ² /s) = 1.15E-8 PFL confidence= Certain	Adjusted secup (m) = 482.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
113b		Adjusted secup (m) = 482.14 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
113c		Adjusted secup (m) = 482.22 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-92 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
114a	Bh-length (m) = 484.80 T (m2/s) = 3.86E-9 PFL confidence= Uncertain	Adjusted secup (m) = 484.67 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
114b		Adjusted secup (m) = 484.92 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2 Best choice	
114c		Adjusted secup (m) = 484.96 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-93 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
115a	Bh-length (m) = 486.10 T (m ² /s) = 4.35E-8 PFL confidence= Certain	Adjusted secup (m) = 485.86 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
115b		Adjusted secup (m) = 485.93 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
115c		Adjusted secup (m) = 486.06 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
115d		Best choice Adjusted secup (m) = 486.27 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
115e		Adjusted secup (m) = 486.28 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	

Table A2-94 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
116a	Bh-length (m) = 487.50 T (m2/s) = 6.60E-8 PFL confidence= Certain	Adjusted secup (m) = 487.40 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
116b		Adjusted secup (m) = 487.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
116c		Adjusted secup (m) = 487.66 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
116d		Adjusted secup (m) = 487.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

Table A2-95 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
117a	Bh-length (m) = 488.30 T (m2/s) = 8.56E-9 PFL confidence= Certain	Adjusted secup (m) = 488.16 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
117b		Adjusted secup (m) = 488.19 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
117c		Adjusted secup (m) = 488.24 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
117d		Adjusted secup (m) = 488.30 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
117e		Adjusted secup (m) = 488.31 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

117f	Adjusted secup (m) = 488.35 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1
117g	Adjusted secup (m) = 488.36 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
117h	Adjusted secup (m) = 488.37 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
117i	Adjusted secup (m) = 488.38 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1
117j	Adjusted secup (m) = 488.48 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2

Table A2-96 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
118	Bh-length (m) = 490.90 T (m ² /s) = 7.16E-10 PFL confidence= Uncertain	Adjusted secup (m) = 490.77 Adjusted seclow (m) = 491.74 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
119	Bh-length (m) = 492.50 T (m ² /s) = 2.32E-8 PFL confidence= Certain	Adjusted secup (m) = 492.18 Adjusted seclow (m) = 492.61 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-97 KLX13A. Interpretation of PFL measurements and BOREMAP data


PFL anom. No	PFL anom data	Boremap data	BIPS Image
120a	Bh-length (m) = 494.00 T (m ² /s) = 3.10E-8 PFL confidence= Uncertain	Adjusted secup (m) = 494.02 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
120b		Adjusted secup (m) = 494.12 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
120c		Adjusted secup (m) = 494.15 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
120d		Adjusted secup (m) = 493.78 Adjusted seclow (m) = 493.87 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-98 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
121	Bh-length (m) = 495.30 T (m ² /s) = 1.46E-9 PFL confidence= Uncertain	Adjusted secup (m) = 494.51 Adjusted seclow (m) = 495.05 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 3 Best choice	
122	Bh-length (m) = 496.80 T (m ² /s) = 6.30E-9 PFL confidence= Certain	Adjusted secup (m) = 496.97 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2 Best choice	

Table A2-99 KLX13A. Interpretation of PFL measurements and BOREMAP data



PFL anom. No	PFL anom data	Boremap data	BIPS Image
123	Bh-length (m) = 501.70	Adjusted secup (m) = 501.30	
	T (m ² /s) = 6.32E-10	Adjusted seclow (m) = 503.30	
	PFL confidence= Uncertain	Fract_interpret / Varcodes= crush	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1 Best choice <i>Same as 124</i>	
124	Bh-length (m) = 502.20	Adjusted secup (m) = 501.30	
	T (m ² /s) = 4.73E-9	Adjusted seclow (m) = 503.30	
	PFL confidence= Certain	Fract_interpret / Varcodes= crush	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1 Best choice <i>Same as 123</i>	

Table A2-100 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
125	Bh-length (m) = 503.20 T (m ² /s) = 2.63E-7 PFL confidence= Certain	Adjusted secup (m) = 501.30 Adjusted seclow (m) = 503.30 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice <i>Same as 123 and 124</i>	
126	Bh-length (m) = 502.20 T (m ² /s) = 4.73E-9 PFL confidence= Certain	Adjusted secup (m) = 501.30 Adjusted seclow (m) = 503.30 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice <i>Same as 123 and 124</i>	

Table A2-101 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
127	Bh-length (m) = 504.10 T (m ² /s) = 1.05E-8 PFL confidence= Certain	Boremap features missing	
128	Bh-length (m) = 516.19 T (m ² /s) = 1.07E-9 PFL confidence= Certain	Adjusted secup (m) = 516.73 Adjusted seclow (m) = 517.18 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-102 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
129a	Bh-length (m) = 522.60 T (m ² /s) = 4.44E-9 PFL confidence= Certain	Adjusted secup (m) = 522.45 Fract_interpret / Varcod= crush Frac.interp. confidence= Possible PFL-anom. confidence= 2	
129b		Adjusted secup (m) = 522.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
129c		Adjusted secup (m) = 522.54 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
129d		Adjusted secup (m) = 522.63 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
129e		Adjusted secup (m) = 522.73 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

129f	Adjusted secup (m) = 522.76
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Possible
	PFL-anom. confidence=
	2
129g	Adjusted secup (m) = 522.77
	Fract_interpret / Varcod=
	Open fract
	Frac.interp. confidence=
	Certain
	PFL-anom. confidence=
	1

Table A2-103 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
130a	Bh-length (m) = 523.10 T (m ² /s) = 5.24E-8 PFL confidence= Certain	Adjusted secup (m) = 523.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
130b		Adjusted secup (m) = 523.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
130c		Adjusted secup (m) = 523.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
130d		Adjusted secup (m) = 523.10 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
130e		Adjusted secup (m) = 523.11 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	

130f	Adjusted secup (m) = 523.13
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Probable
	PFL-anom. confidence=
	1
130g	Adjusted secup (m) = 523.25
	Adjusted seclow (m) = 523.54
	Fract_interpret / Varcod=
	crush
	Frac.interp. confidence=
	Certain
	PFL-anom. confidence=
	2

Table A2-104 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
131	Bh-length (m) = 524.20	Adjusted secup (m) = 524.14	
	T (m ² /s) = 4.74E-8	Adjusted seclow (m) = 524.53	
	PFL confidence= Certain	Fract_interpret / Varcodes= crush	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1	
		Best choice	

Table A2-105 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
132a	Bh-length (m) = 528.60 T (m ² /s) = 1.37E-8 PFL confidence= Certain	Adjusted secup (m) = 528.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
132b		Adjusted secup (m) = 528.52 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
132c		Adjusted secup (m) = 528.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
132d		Adjusted secup (m) = 528.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
132e		Adjusted secup (m) = 528.60 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-106 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
133a	Bh-length (m) = 530.40 T (m ² /s) = 4.33E-8 PFL confidence= Certain	Adjusted secup (m) = 530.24 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
133b		Adjusted secup (m) = 530.25 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
133c		Adjusted secup (m) = 530.31 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
133d		Adjusted secup (m) = 530.31 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
133e		Adjusted secup (m) = 530.32 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

133f	Adjusted secup (m) = 530.37
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 1
133g	Adjusted secup (m) = 530.70
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 1

Table A2-107 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
134a	Bh-length (m) = 531.60 T (m ² /s) = 3.87E-8 PFL confidence= Certain	Adjusted secup (m) = 531.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
134b		Adjusted secup (m) = 531.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
134c		Adjusted secup (m) = 531.57 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
134d		Adjusted secup (m) = 531.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
134e		Adjusted secup (m) = 531.69 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

134f	Adjusted secup (m) = 531.76
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Certain
	PFL-anom. confidence=
	1

Table A2-108 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
135	Bh-length (m) = 532.00 T (m ² /s) = 1.01E-8 PFL confidence= Certain	Adjusted secup (m) = 531.98 Adjusted seclow (m) = 532.22 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-109 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
136a	Bh-length (m) = 533.40 T (m ² /s) = 3.30E-9 PFL confidence= Uncertain	Adjusted secup (m) = 533.25 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
136b		Adjusted secup (m) = 533.44 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
136c		Adjusted secup (m) = 533.34 Adjusted seclow (m) = 533.43 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-110 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
137a	Bh-length (m) = 534.20 T (m ² /s) = 2.30E-8 PFL confidence= Certain	Adjusted secup (m) = 534.15 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
137b		Adjusted secup (m) = 534.22 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
137c		Adjusted secup (m) = 534.25 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-111 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
138a	Bh-length (m) = 537.90 T (m ² /s) = 1.83E-9 PFL confidence= Uncertain	Adjusted secup (m) = 537.77 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
138b		Adjusted secup (m) = 537.78 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
138c		Adjusted secup (m) = 537.81 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
138d		Adjusted secup (m) = 537.92 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
138e		Adjusted secup (m) = 537.95 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	

138f	Adjusted secup (m) = 537.97
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 1
138g	Adjusted secup (m) = 538.29
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 1

Table A2-112 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
139a	Bh-length (m) = 541.10 T (m ² /s) = 2.13E-9 PFL confidence= Certain	Adjusted secup (m) = 540.90 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
139b		Adjusted secup (m) = 540.98 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
139c		Adjusted secup (m) = 541.11 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
139d		Adjusted secup (m) = 541.16 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
139e		Adjusted secup (m) = 541.18 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

139f	Adjusted secup (m) = 541.20
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Probable
	PFL-anom. confidence=
	1
139g	Adjusted secup (m) = 541.27
	Fract_interpret / Varcod=
	open fr.
	Frac.interp. confidence=
	Probable
	PFL-anom. confidence=
	2

Table A2-113 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
140	Bh-length (m) = 544.30 T (m ² /s) = 2.44E-9 PFL confidence= Uncertain	Adjusted secup (m) = 543.97 Adjusted seclow (m) = 545.03 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice <i>Same as no 141</i>	
141	Bh-length (m) = 545.00 T (m ² /s) = 4.79E-8 PFL confidence= Certain	Adjusted secup (m) = 543.97 Adjusted seclow (m) = 545.03 Fract_interpret / Varcodes= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice <i>Same as no 140</i>	

Table A2-114 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
142	Bh-length (m) = 547.70 T (m ² /s) = 3.38E-8 PFL confidence= Certain	Adjusted secup (m) = 547.65 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
142b		Adjusted secup (m) = 547.69 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
142c		Adjusted secup (m) = 547.48 Adjusted seclow (m) = 547.61 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1	

Table A2-115 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
143a	Bh-length (m) = 548.30 T (m ² /s) = 1.33E-9 PFL confidence= Certain	Adjusted secup (m) = 548.12 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
143b		Adjusted secup (m) = 548.16 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
143c		Adjusted secup (m) = 548.32 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
143d		Adjusted secup (m) = 548.40 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 1	
143e		Adjusted secup (m) = 548.21 Adjusted seclow (m) = 548.26 Fract_interpret / Varcode= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1	
		Best choice	

Table A2-116 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
144	Bh-length (m) = 550.20 T (m ² /s) = 5.83E-10 PFL confidence= Uncertain	Adjusted secup (m) = 550.22 Adjusted seclow (m) = 550.27 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-117 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
145a	Bh-length (m) = 550.80 T (m ² /s) = 1.72E-9 PFL confidence= Uncertain	Adjusted secup (m) = 550.61 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	<p>The BIPS image displays a geological cross-section with depth on the vertical axis (550.551 to 551.389 m) and distance on the horizontal axis (D, L, U, R, D). A red arrow points to a fracture at approximately 550.751 m depth. A red circle highlights a data point at 550.751 m depth and 062 20 on the right-hand scale.</p>
145b		Adjusted secup (m) = 550.69 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
145c		Adjusted secup (m) = 550.70 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
145d		Adjusted secup (m) = 550.72 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
145e		Adjusted secup (m) = 550.75 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

145f	Bh-length (m) = 550.80	Adjusted secup (m) = 550.76
	T (m ² /s) = 1.72E-9	Fract_interpret / Varcodes= open fr.
	PFL confidence= Uncertain	Frac.interp. confidence= Probable
		PFL-anom. confidence= 1
145g		Adjusted secup (m) = 550.77
		Fract_interpret / Varcodes= open fr.
		Frac.interp. confidence= Probable
		PFL-anom. confidence= 1
145h		Adjusted secup (m) = 550.84
		Fract_interpret / Varcodes= open fr.
		Frac.interp. confidence= Probable
		PFL-anom. confidence= 1
145i		Adjusted secup (m) = 550.87
		Fract_interpret / Varcodes= open fr.
		Frac.interp. confidence= Possible
		PFL-anom. confidence= 1
145j		Adjusted secup (m) = 550.87
		Fract_interpret / Varcodes= open fr.
		Frac.interp. confidence= Possible
		PFL-anom. confidence= 1

145k	Bh-length (m) = 550.80	Adjusted secup (m) = 550.87
	T (m ² /s) = 1.72E-9	Fract_interpret / Varcodes= open fr.
	PFL confidence= Uncertain	Frac.interp. confidence= Probable
		PFL-anom. confidence= 1
145l		Adjusted secup (m) = 550.90
		Fract_interpret / Varcodes= open fr.
		Frac.interp. confidence= Probable
		PFL-anom. confidence= 1

Table A2-118 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
146a	Bh-length (m) = 551.70 T (m ² /s) = 1.06E-8 PFL confidence= Certain	Adjusted secup (m) = 551.56 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	<p>The BIPS image displays a grid of data points with values ranging from 551.389 to 552.228. A vertical scale on the right side shows values from 140.82 to 000.00. Two red arrows point to specific features: one pointing down at approximately 278.46 and another pointing up at approximately 000.00.</p>
146b		Adjusted secup (m) = 551.68 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
146c		Adjusted secup (m) = 551.68 Adjusted seclow (m) = 551.83 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-119 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
147a	Bh-length (m) = 552.60 T (m ² /s) = 5.18E-8 PFL confidence= Certain	Adjusted secup (m) = 552.47 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
147b		Adjusted secup (m) = 552.48 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
147c		Adjusted secup (m) = 552.49 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1	
147d		Adjusted secup (m) = 552.57 Adjusted seclow (m) = 552.62 Fract_interpret / Varcod= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-120 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
148	Bh-length (m) = 553.80	Adjusted secup (m) = 553.69	
	T (m ² /s) = 4.11E-8	Fract_interpret / Varcodes= open fr.	
	PFL confidence= Uncertain	Frac.interp. confidence= Certain	
		PFL-anom. confidence= 2 Best choice	

Table A2-121 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
149a	Bh-length (m) = 554.70 T (m ² /s) = 1.55E-8 PFL confidence= Certain	Adjusted secup (m) = 554.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2	
149b		Adjusted secup (m) = 554.51 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
149c		Adjusted secup (m) = 554.58 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
149d		Adjusted secup (m) = 554.59 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	
149e		Adjusted secup (m) = 554.74 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

149f	Adjusted secup (m) = 554.88
	Adjusted seclow (m) = 555.04
	Fract_interpret / Varcodes= crush
	Frac.interp. confidence= Certain
	PFL-anom. confidence= 2

Table A2-122 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
150a	Bh-length (m) = 556.50 T (m ² /s) = 4.79E-8 PFL confidence= Certain	Adjusted secup (m) = 556.37 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Certain PFL-anom. confidence= 2	<p>The BIPS image displays a topographic map with elevation contours. Two red arrows point to specific features: one points to a contour line at approximately 556.37m, and the other points to a contour line at approximately 556.54m. The image is overlaid with a grid and various data points.</p>
150b		Adjusted secup (m) = 556.39 Adjusted seclow (m) = 556.54 Fract_interpret / Varcode= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	

Table A2-123 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
151a	Bh-length (m) = 577.60 T (m ² /s) = 2.65E-9 PFL confidence= Uncertain	Adjusted secup (m) = 577.73 Fract_interpret / Varcode= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
151b		Adjusted secup (m) = 577.23 Adjusted seclow (m) = 577.51 Fract_interpret / Varcode= crush Frac.interp. confidence= Certain PFL-anom. confidence= 1 Best choice	
151c		Adjusted secup (m) = 577.73 Adjusted seclow (m) = 577.94 Fract_interpret / Varcode= crush Frac.interp. confidence= Certain PFL-anom. confidence= 2	

Table A2-124 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
152	Bh-length (m) = 579.50	Adjusted secup (m) = 578.90	
	T (m ² /s) = 5.21E-9	Adjusted seclow (m) = 579.69	
	PFL confidence= Certain	Fract_interpret / Varcodes= crush	
		Frac.interp. confidence= Certain	
		PFL-anom. confidence= 1 Best choice	

Table A2-125 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
153a	Bh-length (m) = 581.80 T (m ² /s) = 8.33E-10 PFL confidence= Uncertain	Adjusted secup (m) = 581.64 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
153b		Adjusted secup (m) = 581.66 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
153c		Adjusted secup (m) = 581.76 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
153d		Adjusted secup (m) = 581.79 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
153e		Adjusted secup (m) = 581.83 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	

153f	Adjusted secup (m) = 581.96
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 1
153g	Adjusted secup (m) = 582.00
	Fract_interpret / Varcodes= open fr.
	Frac.interp. confidence= Probable
	PFL-anom. confidence= 2

Table A2-126 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
154a	Bh-length (m) = 582.60 T (m ² /s) = 3.17E-9 PFL confidence= Uncertain	Adjusted secup (m) = 582.49 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	
154b		Adjusted secup (m) = 582.53 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
154c		Adjusted secup (m) = 582.54 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
154d		Adjusted secup (m) = 582.55 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
154e		Adjusted secup (m) = 582.88 Fract_interpret / Varcodes= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same as no 155b</i>	

Table A2-127 KLX13A. Interpretation of PFL measurements and BOREMAP data

PFL anom. No	PFL anom data	Boremap data	BIPS Image
155a	Bh-length (m) = 582.90 T (m ² /s) = 4.12E-9 PFL confidence= Uncertain	Adjusted secup (m) = 582.87 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 Best choice	
155b		Adjusted secup (m) = 582.88 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1 <i>Same as no 154e</i>	
155c		Adjusted secup (m) = 582.99 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
155d		Adjusted secup (m) = 583.03 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 1	
155e		Adjusted secup (m) = 583.05 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2	

155f	Adjusted secup (m) = 583.07 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2
155g	Adjusted secup (m) = 583.08 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Probable PFL-anom. confidence= 2
155h	Adjusted secup (m) = 583.09 Fract_interpret / Varcod= open fr. Frac.interp. confidence= Possible PFL-anom. confidence= 2
